


REPLACEMENT
PARTS
CATALOGUE
No. 4



CLASSIC TUGERS COB




# REPLACEMENT PARTS

for the






AND



150 cc O.H.V.



200 cc O.H.V.

From Engine No. 17389



MOTORC WORLD THE BEST

Tel. Meriden 331

Triumph Engineering Co. Ltd., Meriden Works, Allesley, Coventry Published June 1956

#### **PREFACE**

BEFORE ordering parts for your machine, please read very carefully the instructions contained in the next paragraph. In many cases the information given in the order is insufficient to enable us to identify the customers' requirements with certainty. Delay is frequently occasioned by our having to refer the order back for further particulars before we can supply.

HOW TO ORDER. Every part is indicated by a number and this should be quoted together with the description. In order to assist customers, parts where possible have been listed in order of assembly and exploded illustrations show the assembly order also. By each illustration, is an index quoting the part numbers of the various items and a cross reference to enable the customer to recognise the part by description (See page 58 for further details). With these aids there should be no difficulty in identifying the parts you require. Always quote the engine number and prefix letter stamped on the front engine fixing lug. Always use a separate sheet of writing paper for your order if you are sending a letter as well.

#### SPECIMEN ORDER

2/6/56

To Triumph Engineering Co. Ltd.,
Spares Department,
Meriden Works,
Allesley,
Coventry.

Engine No. T.15-18462

Please supply:-

I — GST15/55 — Gasket Set

I — E3146 — Valve, Inlet

\* Send C.O.D.

Wm. Smith, Ia, Ewell Avenue, Ewell, Surrey.

TELEGRAPHIC ORDERS. Orders by telegram should be addressed to "Trusty 60221 Coventry." They are then telephoned to us, which prevents delay in delivery. It is only necessary to quote part numbers in telegraphic orders, the description can be omitted.

PATTERNS AND PARTS FOR REPAIR. It is not necessary to send patterns if the part number is quoted. The sending of patterns often delays the order as parcel post or rail takes longer than letter post.

<sup>\*</sup> For terms of business see page 3

Parts sent to Coventry for repair, replacement or as patterns, should bear the sender's name and address and clear instructions should accompany the parts. All parts must be forwarded carriage paid and care should be taken to ensure that all remittances are sent separately and not enclosed with the parts. Fragile units such as cylinders, etc., should always be boxed to avoid damage in transit. Complete machines should have all fitments such as horns, driving mirrors, tools, etc., removed by the sender before despatch, as it is impossible for us to accept responsibility in the event of loss in transit. We are always pleased to give estimates for overhauls and repairs, but should an estimate not be accepted, a charge will be made covering cost of dismantling and re-assembling, if carried out.

Communications relating to parts should be addressed to the SPARES MANAGER and for repairs, guarantee claims and technical advice to the SERVICE MANAGER.

In order to facilitate quick reference, the quoting of any order number, invoice number or reference from previous communications is of essential importance. Accessories not of our manufacture should be sent direct to the actual makers, whose names and addresses appear on page 46.

WHERE TO OBTAIN. Triumph Replacement Parts may be obtained from any Triumph Dealer, and we recommend our customers to place their orders with the Triumph Dealer in their district, as we do not normally supply direct. When parts not usually asked for are required, and for which the Dealer may have to wire or obtain specially, the postage or carriage incurred becomes payable.

We are not able to supply Transfers as originally affixed to Triumph Motor Cycles, but we are at all times willing to supply a Transfer denoting that the machine is of genuine Triumph manufacture, providing the Frame and Engine prefix letters and numbers are quoted.

Customers are warned against the risk incurred by purchasing parts which are not of genuine Triumph manufacture. The risk is eliminated if parts are ordered as instructed, either from our recognised Dealers, or direct from the Spares Department, Meriden Works, Allesley, Coventry.

#### TERMS OF BUSINESS

THE most convenient method of paying for spare parts is by the C.O.D. system. By this method you pay the postman for the goods when he delivers them to you. As the minimum C.O.D. collection fee is 10d., only goods to the value of 2/- or over can be sent by this system. We do not despatch goods by rail C.O.D.

Where goods are not sent C.O.D., cash must accompany the order. All remittances should be made payable to the Triumph Engineering Co., Ltd., and crossed "Barclay's Bank Ltd.", if in the form of Postal Order or Cheque. Letters containing currency notes must be registered.

Should a remittance be forwarded by telegraphic money order, the name and address of the sender must be inserted in the space provided on the Post Office requisition form for a private message from remitter to payee. Unless this is complied with the Post Office omit such information from the telegram and we are not then in a position to trace the sender.

Postage, carriage and packing is charged at  $2\frac{1}{2}\%$  on the value of the goods, minimum charge 6d. Packing boxes, cases, crates, etc., are charged for at cost and are returnable.

# TRUMPIB Gerrier



# TRUMPHO TICER CUB



BIKĘ SPARES

#### CARTON PACK - GROUP I

The following sub-assemblies are supplied in carton packs under the C.P. part number stated. The contents of these carton packs are preserved and will not deteriorate under adverse conditions.

| adverse com | dicion | 13. |       |                |           |          |         |                             |
|-------------|--------|-----|-------|----------------|-----------|----------|---------|-----------------------------|
| Part No.    |        |     |       |                | Desc      | cription | and     | Contents                    |
| Big End As  | ssemi  | Ыу  |       |                |           |          |         | 9                           |
| CP.148      |        | Ĺ   | ***   | E.3341         |           | •••      | •••     | Connecting rod c/w bushes   |
|             |        | ı   | ***   | E.3414         |           | •••      | •••     | Crankpin c/w plug           |
| CP.149      | ***    | 1   | ***   | E.3343         |           | ***      |         | Bush, big end               |
| Export only | 500    | 1   | ***   | E.1762         |           | •••      | •••     | Bush, small end             |
|             |        | 1   |       | E.3414         | •••       | • • •    | •••     | Crankpin c/w plug           |
| CP.155      | ***    | 1   |       | E.3624         | •••       | •••      |         | Connecting rod c/w bushes   |
|             |        | 1   | ****  | E.3600         | •••       | •••      | •••     | Crankpin c/w plug           |
| Brake linin | gs     |     |       |                |           |          |         |                             |
| CP.128      |        | 2   | •••   | W.978          |           | •••      |         | Linings                     |
|             |        | 14  | ***   | W. <b>97</b> 9 | •••       |          | •••     | Rivets                      |
| Piston Asse | embly  | y   |       |                |           |          |         |                             |
| CP.120      |        | 1   |       | E.3148         | •••       | ***      |         | Piston body                 |
|             |        | 2   | •••   | <b>E.3</b> 153 | •••       | •••      |         | Ring, compression           |
|             |        | 1   | •••   | E.3154         | •••       |          | •••     | Ring, scraper               |
|             |        | 1   | •••   | E.1750         |           | •••      | •••     | Pin, gudgeon                |
|             |        | 2   | ***   | E.1767         | •••       | •••      | •••     | Circlip                     |
| CP.120/20   | 7.     | 1   | ***   | E.3148         | 20        | 3.0      |         | Piston body $+$ .020"       |
|             |        | 2   | •••   | E.3153         |           | ***      |         | Ring, compression $+.020$ " |
|             |        | ı   | •••   | E.3154         | 20        | •••      | •••     | Ring, scraper $+$ .020"     |
|             |        | ı   | •••   | E.1750         | • • •     | •••      | •••     | Pin, gudgeon                |
|             |        | 2   | •••   | E.1767         | •••       | •••      | • • • • | Circlip                     |
| CP.120/40   | ***    | i   | •••   | E.3148/        |           | ***      |         | Piston body $+$ .040"       |
|             |        | 2   | •••   | E.3153/        |           | •••      | •••     | Ring, compression $+$ .040" |
|             |        | 1   | •••   | E.3154/        | 40        | •••      | ••••    | Ring, scraper + .040"       |
|             |        | ı   | ***   | E.1750         | ***       | ***      | 222     | Pin, gudgeon                |
|             |        | 2   |       | E.1767         | ***       | ***      | •••     | Circlip                     |
| CP.141      | •••    | 1   | 63630 | E.3358         |           | ***      | ***     | Piston body                 |
|             |        | I   | •••   | (E.3380        | 4         | ***      |         | Ring, chrome compression    |
|             |        | 1   |       | E.656          | 4         | C1 C     |         | Ring, compression           |
|             |        | 1   |       | E.3387         | - C. C.   | Litt     | -       | Ring, scraper               |
|             |        | 1   | •••   | E.1750         |           | 223      |         | Pin, gudgeon                |
|             |        | 2   | •••   | E.1767         | <i>\\</i> |          | P       | Circlip, gudgeon pin        |
|             |        |     |       |                |           | JI       | ПП      | \LJ                         |
|             |        |     |       |                | 5         |          |         |                             |

### GROUP I — CARTON PACK

| - |   |    |   |    |
|---|---|----|---|----|
| υ | 1 | -+ | N |    |
| • | u | L  |   | u. |

#### Description and Contents

| CP.141/20   |        | J   |      |       | E3358/20       | •••    |        | Piston body + .020"   |
|-------------|--------|-----|------|-------|----------------|--------|--------|---|
|             |        | 1   |      | • • • | E3380/20       |        | •••    | Ring, chrome compression  |
|             |        | 1   | •••  |       | E656/20        |        |        | Ring, compression $+.020$ "                                     |
|             |        | -1  |      | •••   | E3387/20       |        |        | Ring, scraper $+$ .020"   |
|             |        | 1   |      |       | E1750          |        |        | Pin, gudgeon  |
|             |        | 2   |      |       | E1767          |        |        | Circlip, gudgeon pin  |
| CP.141/40   |        | 1   |      |       | E3358/40       |        | •••    | Piston body $+ .040''$  |
|             |        | 1   |      | •••   | E3380/40       | •••    | •••    | Ring, chrome compression  |
|             |        | 1   |      |       | E656/40        | ***    |        | Ring, compression $+.040$ "                                     |
|             |        | L   |      |       | E3387/40       |        |        | Ring, scraper + .040"   |
|             |        | - 1 | ***  | ***   | E1750          | 7.4.4. |        | Pin, gudgeon  |
|             |        | 2   |      | 7     | E1767          | ***    | ***    | Circlip, gudgeon pin  |
| Piston Ring | S      |     |      |       |                |        |        |   |
| CP.121      | •••    | 2   | ***  |       | E3153          | ***    | •••    | Ring, compression   |
|             |        | - 1 | •••  |       | E3154          | ***    | •••    | Ring, scraper   |
| CP121/20    | ***    | 2   | ***  | •••   | E3153/20       | ***    | •••    | Ring, compression $+.020$ <sup>*</sup>                          |
|             |        | - 1 |      | •••   | E3154/20       | ***    |        | Ring, scraper + .020"   |
| CP.121/40   |        | 2   |      |       | E3153/40       | ***    |        | Ring, compression $+.040$ "                                     |
|             |        | 1   |      |       | E3154/40       | ***    |        | Ring, scraper + .040"   |
| CP.150      | ***    | 1   | ***  | ***   | E3380          |        |        | Ring, chrome compression  |
|             |        | 1   |      | •••   | E656           |        |        | Ring, compression   |
|             |        | 1   |      |       | E3387          | ***    |        | Ring, scraper   |
| CP.150/20   | ***    | 1   | ***  |       | E3380/20       | ***    |        | Ring, chrome compression  |
|             |        | 1   |      | •••   | E656/20        | ***    |        | Ring, compression   |
|             |        | 1   | •••  |       | E3387/20       |        |        | Ring, scraper   |
| CP.150/40   |        | 1   |      |       | E3380/40       |        |        | Ring, chrome compression  |
|             |        | 1   |      |       | E656/40        |        |        | Ring, compression   |
|             |        | 1   |      |       | E3387/40       |        |        | Ring, scraper   |
| Rear Suspe  | nsior  | Sp  | ring | Set   |                |        |        |   |
| CP.130      |        | 2   |      |       | F3425          | 2444   |        | Spring, main  |
|             |        | 2   |      |       | F3426          | ***    |        | Spring, rebound   |
| Steering Ra | ces    |     |      |       |                |        |        | - F   |
| CP.129      |        | 2   |      |       | H835           |        |        | Cup, steering race  |
|             |        | 2   |      |       | H833           | •••    |        | Cone, steering race   |
|             |        | 30  |      |       | S70-3          |        | •••    | Ball, steering race   |
| Valves      |        |     |      |       |                |        | 513    | <b>.</b>  |
| CP.124      |        | 1   |      |       | E3146          |        |        | Valve, inlet  |
|             |        | - 1 |      |       | E3147          | • • •  |        | Valve, exhaust  |
|             |        |     |      |       |                |        | 2(5/5) |   |
| Valve Guid  | es     |     |      |       |                |        |        |   |
|             |        | 2   |      |       | E3208          |        | 4.5    | Valve guide, inlet and exhaus                                   |
|             | es<br> | 2 2 |      | /     | E3208          |        | •••    | _   |
|             | •••    | 2   |      |       | E3208<br>E3209 | ) I O  |        | Valve guide, inlet and exhaus<br>Circlip                        |
|             | •••    |     |      |       |                |        |        | Valve guide, inlet and exhaus<br>Circlip<br>Spring, valve Inner |

For Indexes see Pages 55 to 58

# REPLACEMENT PARTS

| REF. No. | PART No.         |                         | DESCRIPT    | ION     |      |       | Ç     | UAN | TITY |   |
|----------|------------------|-------------------------|-------------|---------|------|-------|-------|-----|------|---|
|          |                  | ENGINE —                | GROUF       | 2       |      |       |       |     |      |   |
|          |                  | Illustrated on Pa       | age 10—Fig  | . 1     |      |       |       |     |      |   |
|          | CY               | LINDER BARREL           |             |         |      |       |       | TI5 | T20  | ) |
| 1        | E3142            | Barrel, cylinder        |             | •••     | •••  | ***   |       | 1   | _    |   |
| 2        | E3385            | Barrel, cylinder        |             |         |      | 2.2   | •••   | _   | 1    |   |
| 3        | E3216            | Washer, cylinder base   |             | •••     | •••  | ***   |       | I   | -    |   |
| 4        | E3368            | Washer, cylinder base   |             | •••     |      | •••   |       | _   | 1    |   |
| 5        | E3386            | Dowel, cylinder barrel  |             | •••     | •••  | •••   | •••   | -   | 2    |   |
|          | DI               | STON                    |             |         |      |       |       |     |      |   |
| 4        | CPI20†           | Piston c/w rings, gudg  | oon nin et  | -       |      |       |       | I   |      |   |
| 6<br>7   | CP1207<br>CP141† | , , ,                   |             |         | •••  | •••   | •••   |     |      |   |
| 8        | E3153            | Piston c/w rings, gudg  |             |         | ***  | •••   | •••   | 2   |      |   |
| 9        | E3380            | Ring, compression       | ··· ···     | (***    | •••  | •••   | •••   | _   | 1    |   |
| 10       | E656             | Ring, chrome compres    |             |         | •••  | •••   | •••   | _   | 1    |   |
| 11       |                  | Ring, compression       |             |         | •••• |       | •••   | 2   |      |   |
| 12       | E3153/20°        | Ring, compression       | ··· ···     |         |      | ***   | •••   | 2   | 1    |   |
| 13       | E3380/20         | Ring, chrome compres    |             | •••     | •••  | •••   | •••   | _   | - 1  |   |
| 13       | E656/20          | Ring, compression       |             | •••     | •••  | •••   | •••   | 2   |      |   |
| 15       | E3153/40         | Ring, compression       | ··· ···     | •••     | •••  | •••   | •••   | 2   | _    |   |
| 16       | E3380/40         | Ring, chrome compres    | 31011       | •••     | •••  | •••   | •••   | _   |      |   |
| 17       | E656/40          | Ring, compression       |             | ***     | ***  | •••   | •••   | 1   | 1    |   |
|          | E3154            | Ring, scraper           |             | •••     | •••  |       | •••   | 1   | -    |   |
| 18       | E3387            | Ring, scraper           | •••         | •••     | •••  | • • • | •••   | _   |      |   |
| 19       | E3154/20         | Ring, scraper           | ***         | ***     | •••  |       | •••   | 1   | 7    |   |
| 20       | E3387/20         | Ring, scraper           |             | ***     | •••  | ***   | •••   | -   | 1    |   |
| 21       | E3154/40         | Ring, scraper           |             | ***     | •••  | •••   | •••   | 1   | -    |   |
| 22       | E3387/40         | Ring, scraper           |             | •••     | ***  | •••   | •••   | 7   | 1    |   |
| 23       | E1750            | Pin, gudgeon            |             | ***     | •••  | ***   | • • • | ı   | 1    |   |
| 24       | E1767            | Circlip, gudgeon pin    |             | •••     | ***  | ***   | •••   | 2   | 2    |   |
|          |                  | † For Contents and Ov   | ersizes see | page 5. |      |       |       |     |      |   |
|          | CY               | LINDER HEAD             |             |         |      |       |       |     |      |   |
| 25       | E3143            | Head, cylinder c/w gui  | des and ada | ptor    |      |       | • • • | -1  | 1    |   |
| 26       | E3217            | Gasket, cylinder head   |             | •       | ***  | ***   |       | 1   | 1    |   |
| 27       | E3207            | Adaptor, cylinder head  |             |         |      | ***   | • • • | 1   | 1    |   |
| 28       | E3210            | Stud, rocker inspection |             |         |      | ***   |       | 2   | 2    |   |
| 29       | E1987            | Stud, cylinder head to  |             |         |      |       | ***   | 2   | 2    |   |
| 30       | E3230            | Nut, cylinder head to b |             | UIL     | ***  |       |       | 4   | 4    |   |
| 31       | E34446           | Washer, cylinder head   |             | DEC     |      | ***   | ***   | 4   | 4    |   |

| REF. No.      | PART No.           | DESCRIPTION                               |        | QUAN: | TITY |
|---------------|--------------------|---|--------|-------|------|
|               | VA                 | LVES, GUIDES, SPRINGS, ETC.               |        | TI5   | T20  |
| f             | E3146              | Valva inlat                               |        | . 1   | 1    |
| 2             | E3147              | Volue exhaust                             |        |       | 1    |
| 3             | E3208              | Guide inlet and exhaust                   |        | _     | 2    |
| 4             | E3209              | Circlia inlet and exhaust guide           |        | 2     | 2    |
| 5             | E3214              | Coring valva innor                        | •••    | _     | 2    |
| 6             | E3215              | Spring valve outer                        | ***    | 2     | 2    |
| 7             | E3301              | Coller value spring ton                   |        | 2     | 2    |
| 8             | E3213              | Cup value spring better                   | •••    | •     | 2    |
| 9             | WE259A             | Cotter, valve split                       |        | 4     | 4    |
|               | 01                 | ERHEAD ROCKERS, COVERS, ETC.              |        |       |      |
| 10            | E3251              | Rocker, inlet assembly                    |        | . 1   | ı    |
| 11            | E3252              | Rocker, exhaust assembly                  |        |       |      |
| 12            | E3222              | Ball pin, rocker                          |        | •     | 2    |
| 13            | E3223              | Adjuster, rocker                          |        | 2     | 2    |
| 14            | GS662              | Locknut rocker edjuster pin               |        | •     | 2    |
| 15            | E3225              | Spindle rocker inlet and exhaust          |        | _     | 2    |
| 6             | E3253              | Cooling ring rocker spindle               | •      | 2     | 2    |
| 17            | E2534              | Thrust wesher resker spindle D 5 7"       | *** ** |       | 4    |
| 18            | E2594              | Thrust wesher recker spindle TC 3"        | •••    | 2     | 2    |
| 19            | E3224              | Thackeray washer, rocker spindle (spring) | ***    | _     | 2    |
| 20            | E3227              | Cover rocker inlet inspection             | •••    | 1     |      |
| 21            | E3228              | Cover rocker exhaust inspection           |        |       |      |
| 22            | E3226              | Washer rocker cover joint                 | *** ** | 2     | 1    |
| 23            | E3290              |   | •••    |       | 2    |
| 24            | E2441              | Washer, rocker cover to head              | •••    |       | 2    |
| <del>(1</del> | C2 <del>44</del> 1 | vvasner, rocker cover to head hut         | ***    | . 2   | 2    |
| ) F           |                    | ISH RODS AND COVER                        |        | _     | 20   |
| 25            | E3235              | Rod, push                                 | •••    | . 2   | -    |
| 26            | E3372              | Rod, push                                 |        |       | 2    |
| 27            | E3536              | Cover, push rod                           | •••    | . 1   | -    |
| 28            | E3537              | Cover, push rod                           |        |       | I    |
| 29            | E3172              | Peg, cover to crankcase locating          |        | . 1   | Ų    |
| 30            | E3540              | Washer, push rod cover joint (upper)      |        | . 1   | 1    |
| 31            | E3391              | Washer, push rod cover joint (lower)      |        | !     | I    |
| 22            |                    | PPETS                                     |        | 3     |      |
| 32            | E3285              | Tappet                                    |        | . 2   | 2    |
|               |                    | CKER OIL PIPE AND FITTINGS                |        |       |      |
| 33            | E3244              | Pipe, rocker oil                          |        | . 1   | 1    |
| 34            | H400               | Nut, rocker oil pipe to spindle           |        | . 2   | 2    |


# ENGINE — GROUP 2

| REF. No.       | PART No.                | DESCRIPTION  | 9      | 2       | (      | QUAN' | TITY        |
|----------------|-------------------------|--|--------|---------|--------|-------|-------------|
|                |                         | a ×  |        |         |        | T15   | T20         |
| 1              | E1335                   | Washer, rocker oil pipe inner joint  |        |         | ***    | 2     | 2           |
| 2              | E3249                   | Washer, rocker oil pipe outer joint  |        |         | ***    | 2     | 2           |
| 3              | E3383                   | Connection, oil tank to oil pipe (Rubber)  | ***    | ***     | ***    | 1     | 1           |
|                | FL                      | YWHEEL AND CONNECTING ROD  |        |         |        |       |             |
| 4              | E3639                   | Flywheel and connecting rod assembly   | ***    | ***     |        | - 1   | _           |
| 5              | E3653                   | Flywheel and connecting rod assembly   | 1.1.1  |         |        | -     | 1           |
| 6              | E3336                   | Flywheel c/w mainshaft L.H   |        |         |        | 1     | _           |
| 7              | E3596                   | Flywheel c/w mainshaft L.H   |        |         | ***    | -     | 1           |
| 8              | E3419                   | Flywheel c/w plugs R.H   |        |         |        | 1     | _           |
| 9              | E3598                   | Flywheel c/w plugs R.H   | •••    | 79.90°C |        | _     | 1           |
| 10             | E3420                   | Plug, T.S. Flywheel  |        |         |        | 2     | 2           |
| 11             | E3624                   | Rod, connecting (complete)   |        | ***     | ***    | 1     | 1           |
| 12             | E3623                   | Bush, big end  | ***    |         |        | 1     | 1           |
| 13             | E1762                   | Bush, small end  |        |         |        | 1     | 1           |
| 14             | E3414                   | Crankpin c/w plugs   | ***    | ••••    |        | 1     | _           |
| 15             | E3600                   | Crankpin c/w plugs   |        |         |        | _     | 1           |
| 16             | E3292                   | Plug, crankpin   | 50°C+; |         | 2000   | 2     | 2           |
| 17<br>18<br>19 | E3566<br>E3569<br>E3414 | from Engine number 17389 up to 18596, of Flywheel c/w mainshaft L.H Flywheel c/w plugs R.H. Crankpin c/w plugs | •      | _       |        | -     | 1<br>1<br>1 |
|                | CF                      | RANKCASE   |        |         |        | G.    |             |
| 20             | E3558                   | Crankcase assembly c/w bushes  | ***    |         |        | 1     | _           |
| 21             | E3563                   | Crankcase assembly c/w bushes  |        |         |        | _     | 1           |
| 22             | E3170                   | Stud, crankcase to cylinder head   |        |         |        | 4     | _           |
| 23             | E3365                   | Stud, crankcase to cylinder head   |        |         |        | _     | 4           |
| 24             | E3171                   | Stud, crankcase to oil pipe junction block   |        |         |        | 1     | 1           |
| 25             | T989                    | Dowel, crankcase to R.H. inner cover   | ***    |         |        | 2     | 2           |
| 26             | E3169                   | Dowel, crankcase to oil junction block   |        | •••     |        | 1     | ī           |
| 27             | E3560                   | Pipe, crankcase oil return   |        |         |        | i     | 1           |
| 28             | T1076                   | Screw, crankcase oil return pipe   |        |         |        | 1     | i           |
| 29             | E2615                   | Plug, crankcase oil gauge test hole  | •••    | ***     | ••••   | i     | i           |
| 30             | E1335                   | Washer, crankcase plug   |        |         |        | i     | i           |
|                | CB                      | ANKCASE BEARINGS (ENGINE)  |        |         |        |       |             |
| 31             | E3173                   | Bearing, R.H. (Plain)  |        |         |        | Ť     | 1           |
| 32             | E3173                   | Peg, R.H. bearing  |        | •••     | ***    | 1     | i.          |
| 33             |                         |  |        | ***     | ***    | 1     | 1           |
|                | E3175                   | Bush, camshaft   | ***    | ***     |        | 1     | 1           |
| 34             | E3518                   | Bush, distributor and oil pump shaft   | ***    | ***     | 200000 | 1     | 1           |

FIG. I.

#### THE ENGINE AND GEARBOX UNIT.

In order to clarify the main components, the the clutch and gears see Figs. 2 and 3.





| Illust. No. | Part No.       | Page No. | Ref. No. | Illust. No. | Part Na.        | Page No.  | Ref. No.                   | Illust. No. | Part No.      | Page No. | Ref. No. |
|-------------|----------------|----------|----------|-------------|-----------------|---|----------------------------|-------------|---------------|----------|----------|
|             | E3142          | 7        | F        |             | E3596           | 9   | 7                          | 97          | T1148         | 13       | 17       |
|             | E3385          | 7        | . 2      | 46          | E3419           | 9   | 8                          | 98          | E3151         | 13       | 24       |
| 2           | E3216          | 7        | 3        |             | E3569           | 9   | 18                         | 997 c       | ee Fig. 2, Pa | an 15    |          |
|             | E3368          | 7        | 4        |             | E3598           | 9   | 9                          | 100 } 3     |               |          |          |
| 3           | CP.120         | 7 :      | * 6      | 50          | E3624           | 9   | 11                         | 101         | T1119         | 16       | 28       |
|             | CP141          | 7        | 7        | 51          | E3623           | 9   | 12                         | 102         | T1098         | · 14     | 11       |
| 4           | E3153          | 7        | 8        | 52          | E1762           | 9   | 13                         | 103         | T1102         | 14       | 12       |
|             | E3380          | 7        | 9        | 53          | E3414           | 9   | 14                         | 104         | T1066         | 14       | 13       |
|             | E656           | 7        | 10       |             | E3600           | 9   | 15                         | 105         | T1069         | 14       | 14       |
| 5           | E3154          | 7        | 17       | 54          | E3413           | 12  | 13                         | 106         | T1248         | 14       | 16       |
| -           | E3387          | 7        | 18       | 55          | E3558           | 9   | 20                         | 107         | T1076         | 14       | 18       |
| 6           | E1750          | 7        | 23       |             | E3563           | 9   | 21                         | 108         | T1180         | 14       | 19       |
| ž           | E1757          | 7        | 24       | 56          | E3170           | ý   | 22                         | 109         | T1164         | 14       | 20       |
| 8           | E3143          | 7        | 25       | 30          | E3365           | ģ   | 23                         | 110         | F1369         | 14       | 21       |
| 9           | E3217          | 7        | 26       | 57          | E3171           | ģ   | 24                         | liii        | T1259         | 14       | 22       |
| ΙÓ          | E3207          | 7        | 27       | 58          | T989            | ģ   | 25                         | 112         | T1184         | 14       | 24       |
| 11          | E3210          | 7        | 28       | 59          | E3560           | 9   | 27                         | 113         | T1278         | 14       | 25       |
|             |                | 7        | 29       |             |                 | 13  |                            |             | T1109         | 14       | 27       |
| 12          | E1987          |          |          | 60          | E3579           |   | 6                          | 114         |               |          | 2/       |
| 14          | E3230          | 7        | 30       | 61          | T1076           | 9   | 28                         | 115         | T1077         | 14       | 28       |
| 15          | E3146 In.      |          | 1        | 62          | E3173           | 9   | 31                         | 116         | T1070         | 15       | 1        |
|             | E3147 Ex       |          | 2        | 63          | E3175           | 9   | 33                         | 117         | T1071         | 15       | 2        |
| 16          | E3208          | 8        | 3        | 64          | E3518           | 9   | 34                         | 118         | T1072         | 15       | 3        |
| 17          | E3209          | 8        | 4        | 65          | E3177           | 12  | 21                         | 119         | T1073         | 15       | 4        |
| 18          | E3214          | 8        | 5        | 66          | E3176           | 12  | 22                         | 120         | T1165         | 16       | 1        |
| 19          | E3115          | 8        | 6        | 67          | E1564           | 12  | 24                         | 121         | S52-1         | 16       | 7        |
| 20          | E3301          | 8        | 7        | 68          | E1577           | 12  | 25                         | 122         | T1279         | 16       | 8        |
| 21          | E3213          | 8        | 8        | 69          | E3178           | 12  | ī                          | 123         | T1281         | 16       | 10       |
| 22          | WE259A         | 8        | 9        | 70          | E3421           | 12  | 2                          | 124         | T1282         | 16       | 11       |
| 23          | E3251 In.      |          | ΙÓ       | 7Ĭ          | E3185           | 12  | 3                          | 125         | T1161         | 16       | 12       |
| 23          | E3252 Ex       |          | iĭ       | 72          | E3184           | 12  | 4                          | 126         | T1162         | 16       | 14       |
| 24          | E3222          | . 8      | 12       | 73          | E3183           | 12  | 5                          | 127         | T1163         | 16       | 15       |
| 25          | E3223          | 8        | 13       | 74          | E3186           | 12  | 6                          | 128         | T1157         | 16       | 16       |
| 26          | GS662          | 8        | 14       | 75          | E3409           | 12  | 8                          | 129         | T1158         | 16       | 17       |
| 27          |                |          | 15       |             |                 |   | 10                         |             | T1081         |          | 18       |
|             | E3225          | 8        |          | 76          | E3194           | 12  |                            | 130         |               | 16       |          |
| 28          | E3253          | 8        | 16       | 77          | E3410           | 12  | .9                         | 131         | T1082         | 16       | 19       |
| 29          | E2534          | 8        | 17       | 78          | E3195           | 12  | .11                        | 132         | T1110         | 16       | 20       |
| 30          | E2594          | 8        | 18       | 79          | E3412           | 12  | 12                         | 133         | E697          | 16       | 21       |
| 31          | E3224          | 8        | 19       | 80          | S70-4           | 12  | 14                         | 134         | T1112         | 16       | 22       |
| 32          | E3228          | 8        | 21       | 81          | E3191           | 12  | 15                         | 135         | T1257         | 16       | 23       |
| 33          | E3227          | 8        | 20       | 82          | E3192           | 12  | 17                         | 136         | T361          | 16       | 24       |
| 34          | E3226          | 8        | 22       | 83          | E3191           | 12  | 15                         | 137         | WE170         | 16       | 25       |
| 35          | E3290          | 8        | 23       | 84          | T1124           | 12  | 16                         | 138         | T1365         | 16       | 26       |
| 36          | E2441          | 8        | 24       | 85          | E3201           | 13  | 1                          |             | T1341         | 16       | 27       |
| 37          | E3235          | 8        | 25       |             | E3581           | 13  | 2                          | 139         | T1233         | 18       | 17       |
|             | E3372          | 8        | 26       | 86          | W954            | 13  | 3                          | 140         | T1124         | 18       | 21       |
| 38          | E3536<br>E3537 | 8<br>8   | 27<br>28 | 87          | 465909<br>E3582 | 47<br>13  | <b>C</b> (8) [             | 141         | T1140<br>F879 | 18<br>39 | 24<br>10 |
| 39          | E3540          | 8        | 30       | 00          | E3580           | 13  |                            | 143         | \$25-13       | 39       | iĭ       |
| 40          | E3391          | 8        | 31       | 89          | E3577           | 13<br> 12<br> 12  | 26                         | 144         | 465904        | 47       | 7        |
| 41          | E3285          | 8        | 32       | 90          | E3152           | 5   | 26 29                      | 145         | E1580         | 47       | 7        |
|             | H400           | 8        | 34       | 91          | DS57            | _ 12  | 35                         | 146         | E3379         | 12       | 30       |
| 42          | E1335          | 9        | 34       |             | WEI70           |   | 36                         | 147         | 465910        | 47       | 9        |
| 43          |                |          | 2        | 92          |                 |   | 12                         | 147         | E732          | 13       | 10       |
| 44          | E3249          | 9        | 2        | 93          | E3416           |   | 35<br>36<br>12<br>13<br>15 |             | NE507         |          |          |
| 45          | E3336          | 9        | 6        | 94<br>95    | E3293<br>T1147  | $\begin{array}{c c} \hline  & 13 \\ \hline  & 13 \end{array}$ | 3                          | 149<br>150  | T1249         | 13       | <br>  17 |
|             | E3566          | 9        |          | 45          |                 |   |                            | - 150       | 11/49         | 14       | 1/       |

=

ENGINE - GROUP 2

# GROUP 2 - ENGINE

| REF. N | lo. PART No. | DESCRIPTION QUAN                                   | TITY |
|--------|--------------|--|------|
|        | Т            | IMING GEARS AND CAMSHAFT                           | T20  |
| 1      | E3178        | Pinion, timing and distributor drive               | 1    |
| 2      | E3421        | Bolt, timing and distributor pinion !              | 1    |
| 3      | E3185        | Pinion, camshaft (50T)                             | 1    |
| 4      | E3184        | Key, camshaft pinion                               | 1    |
| 5      | E3183        | Camshaft, inlet and exhaust                        | 1    |
| 6      | E3186        | Pinion and shaft, distributor and oil pump drive 1 | 1    |
|        | C            | DIL PUMP   | 12   |
| 7      | E3393        | Oil pump assembly                                  | 1    |
| 8      | E3409        | Body, oil pump                                     | 1    |
| 9      | E3410        | Plunger, oil feed 1                                | 1    |
| 10     | E3194        | Plunger, oil scavenge                              | 1    |
| 1 {    | E3195        | Rod, connecting drive                              | 1    |
| 12     | E3412        | Pin, connecting drive rod 1                        | 1    |
| 13     | E3413        | Circlip, connecting drive rod                      | 1    |
| 14     | S70-4        | Ball, oil pump body 2                              | 2    |
| 15     | E3191        | Spring, oil pump body and auxiliary valves 4       | 4    |
| 16     | T1124        | Ball, auxiliary valve 2                            | 2    |
| 17     | E3192        | Plug, oil pump body 2                              | 2    |
| 18     | E3197        | Bolt, oil pump to crankcase 2                      | 2    |
| 19     | GS299        | Lockwasher, oil pump to crankcase (serrated) 2     | 2    |
| 20     | E3188        | Washer, oil pump to crankcase joint 1              | ī    |
|        |              | CRANICACE FILTER                                   |      |
| 21     |              | CRANKCASE FILTER                                   |      |
| 21     | E3177        | Filter, crankcase                                  | 1    |
| 22     | E3176        | Spring, crankcase filter                           | - 1  |
| 23     | E3302        | Washer, crankcase filter spring 1                  | 1    |
| 24     | E1564        | Cap, crankcase filter                              | 1    |
| 25     | E1577        | Washer, crankcase filter joint 1                   | 1    |
|        | 1            | NNER COVER, DRIVE SIDE                             |      |
| 26     | E3577        | Cover, crankcase D.S. inner                        | - 1  |
| 27     | E3199        | Dowel, inner cover to crankcase front              | 1    |
| 28     | T989         | Dowel, inner cover to outer cover rear             | 1    |
| 29     | E3152        | Bearing, engine flywheel mainshaft 1               | 1    |
| 30     | E3379        | Oil seal, mainshaft bearing                        | 1    |
| 31     | E3460        | Sealing washer, gearbox shaft (rubber) 1           | 1    |
| 32     | E3603        | Backing washer, sealing washer                     | 1    |
| 33     | E3204        | Screw, inner cover to grankcase (top front) I      | 1    |
| 34     | E3445        | Screw, inner cover to crankcase 2                  | 2    |
| 35     | DS57         | Plug, oil level and drain 2                        | 2    |
| 36     | WE170        | Washer, oil level and drain plugs D.L.S 2          | 2    |

### ENGINE - GROUP 2

| REF. No. | PART No. | DESC                            | CRIPTION     |        |       | Q     | UAN | TITY |
|----------|----------|---------------------------------|--------------|--------|-------|-------|-----|------|
|          | EN       | IGINE SPROCKET                  |              |        | Æ     |       | TIS | T20  |
| 1        | E3201    | Engine sprocket, 19 teeth .     |              | •••    | ***   |       | 1   | _    |
| 2        | E3581    | Engine sprocket, 18 teeth .     |              |        | •••   |       | _   | 1    |
| 3        | W954     | Distance piece, sprocket and ro | otor         | •••    | •.••  | 063   | 1   | 1    |
|          |          | See Fage 47 for locknut and     | washer       |        |       | 15    |     | 5    |
|          | OL       | JTER COVER, DRIVE SIDE          | ž.           |        |       |       |     |      |
| 4        | E3582    | Cover, crankcase D.S. outer .   |              |        |       |       | 1   |      |
| 5        | E3580    | C D C D C D C D C               |              | •••    |       | •••   |     | 1    |
| 6        | E3579    | Washan savaniaint               | **           |        |       |       | 1   | 1    |
| 7        | E3205    | Canaly auton savan lane         |              |        | ***   |       | 4   | 4    |
| 8        | E3200    | Canality autom source about     |              |        |       |       | 4   | 4    |
| 9        | E3204    | Causally and an assum manditum  |              |        |       |       | 1   | 1    |
| 10       | E732     | Diversil Ciles                  |              |        | •••   |       | 1   | 1    |
| 11       | NE507    | Machan all filler lains         |              |        |       |       | 1   | 1    |
|          |          |                                 |              |        |       | 22    |     |      |
|          | IN       | NER COVER, TIMING SIDE          |              |        |       |       |     |      |
| 12       | E3416    | Cover, inner T.S. c/w bushes ar | nd clutch le | ver    |       |       | 1   | 1    |
| 13       | E3293    | Bush, camshaft                  |              |        | •••   |       | 1   | _1   |
| 14       | E3172    | Peg, camshaft bush              | ••           | •••    | •••   |       | 1   | - 1  |
| 15       | T1147    | Bush, gearbox mainshaft .       |              | •••    | •••   |       | 1   | 1    |
| 16       | T1149    | Plate, inner cover              |              |        | ***   | • • • | 1   | 1    |
| 17       | T1148    | Washer, inner cover plate (Cor  | ^k)          | ***    |       |       | 1   | 1    |
| 18       | T1150    | Screw, inner cover plate        |              | •••    | ***   |       | 2   | 2    |
| 19       | E3204    | Screw, inner cover to crankcase | e (front and | rear)  | ***   |       | 2   | 2    |
| 20       | E3220    | Screw, inner cover to crankcase | e (short)    | ***    | ***   | ·     | 1   | 1    |
| 21       | E3221    | Screw, inner cover to crankcase | e (long)     |        | •••   | ***   | ſ   | - 1  |
| 22       | F3775    | Vent pipe, inner cover breather | r (PVC)      | ***    | •••   | •••   | 1   | 1    |
| 23       | XA69     | Clip, vent pipe to clutch cable |              | •••    | •••   | • • • | 1   | 1    |
|          | OL       | JTER COVER, TIMING SIDE         |              |        |       |       |     | 3    |
| 24       | E3151    | Cover, outer T.S                |              |        |       |       | ı   | 1    |
| 25       | E3345    | \A/L                            |              | ***    | •••   | •••   | i   | 1    |
| 26       | E3221    | Screw, outer T.S. cover (long)  |              | ***    | •••   | •••   | 4   | i    |
| 27       | E3231    | , -,                            |              |        | •••   | •••   | 7   | 7    |
| 28       | E3231    | Screw, outer T.S. cover (mediu  | ,            | ***    | •••   | •••   | 1   | 1    |
| .0       | E3220    | Screw, outer T.S. cover (short) |              | ***    | ***   |       |     | 1    |
|          | GA       | SKET SET                        | ISSIC        | l<br>J |       |       |     |      |
| 29       | GST15/55 | Gasket set                      |              |        | • • • |       | 1   | -    |
| 30       | GST20/55 | Gasket set R E C D.             |              | (6666) | • • • |       | _   | 1    |

#### **GEARBOX AND CLUTCH - GROUP 3**

Illustrated on Pages 10, 15 and 17—Figs. 1, 2 and 3

|            | SH                                    | AFTS AND GEARS  |        | Г15 | T20 |   |
|------------|---------------------------------------|---|--------|-----|-----|---|
| 1          | T1083*                                | Gear cluster, mainshaft (3rd and low)                                     |        | 1   | 1   |   |
| 2          | T1085                                 | Bush, mainshaft clutch rod  |        | 1   | T   |   |
| 3          | T1078                                 | Gear, mainshaft high c/w bush   |        | 1   | 1   |   |
| 4          | T1080                                 | Bush, mainshaft high  |        | 1   | 1   |   |
| 5          | T1089                                 | Gear, mainshaft 2nd   |        | 1   | 1   |   |
| 6          | T1090                                 | Thrust ring, mainshaft 2nd gear   |        | 1   | 1   |   |
| 7          | T1091*                                | Gear, cluster, layshaft (top and 2nd)                                     |        | 1 : | . 1 |   |
| 8          | T1094                                 | Gear, layshaft 3rd  |        | 1   | 1   |   |
| 9          | T1095                                 | Gear, layshaft low c/w bush   |        | 1   | 1   |   |
| 10         | T1097                                 | Bush, layshaft low gear   |        | 1   | 1   |   |
|            | _                                     | clusters are sold only as an assembly and the parts cannot be separately. | e      |     |     |   |
|            |                                       | LECTOR FORKS AND SPINDLE  |        |     |     |   |
| tt.        | T1098                                 | Fork, mainshaft and layshaft selector                                     |        | 2   | 2   |   |
| 12         | T1102                                 | Spindle, selector fork  |        | 1   | l   | 1 |
|            | CA                                    | MPLATE  |        |     |     |   |
| 13         | T1066                                 | Camplate assembly   |        | 1   | 1   |   |
| 14         | T1069                                 | Spindle, camplate   |        | 1   | 1   |   |
| 15         | $\frac{3}{32}'' \times 1''$           | Split pin, camplate to spindle  |        | 1   | 1   |   |
| 16         | T1248                                 | Spring, camplate index  |        | 1   | 1   |   |
| 17         | T1249                                 | Spring, camplate index (supplementary)                                    | •)•(*) | 1   | 1   |   |
| 18         | T1076                                 | Screw, camplate index spring  | • • •  | 2   | 2   |   |
| 19         | T1180                                 | Lockwasher, camplate index spring   |        | 1   | 1   |   |
|            | FO                                    | OTCHANGE MECHANISM  |        |     |     |   |
| 20         | T1164                                 | Pedal, footchange   |        | 1   | 1   |   |
| 21         | F1369                                 | Polt footsbangs podel   |        | 1   | 1   |   |
| 22         | T1259                                 | Spindle guadrant and plunger assembly                                     |        | 1   | 1   |   |
| 23         | T1181                                 | Feltwasher footchange spindle   |        | ì   | 1   |   |
| 24         | T1184                                 | Plunger footchange gear selector  |        | 2   | 2   |   |
| 25         | T1278                                 | Spring footchange gear selector plunger                                   |        | 2   | 2   |   |
| 26         | $\frac{5}{64}'' \times \frac{3}{4}''$ | Split pin footchange gear selector rlunger                                |        | 2   | 2   |   |
| 27         | TI109                                 | Spring footchange return   OOO  |        | 1   | 1   |   |
| 28         | T1077                                 | Pin footchange return caring anchorage                                    | •••    | 1   | 1   |   |
| 29         | E2287                                 | Washer footchange return spring anchorage                                 |        | 1   | 1   |   |
| 3 <b>0</b> | T449                                  | Rubber footchange pedal   | •••    | 1   | I   |   |

QUANTITY

| DESCR | IDT | 10 | N  |
|-------|-----|----|----|
| DESCR |     |    | IV |

| REF. No. F | PART No. |
|------------|----------|
|------------|----------|

|   | G     | EARBOX CASING BEARINGS                |      |     |       |      | T15 | T20 |
|---|-------|---------------------------------------|------|-----|-------|------|-----|-----|
| 1 | T1070 | Bearing, D.S. gearbox mainshaft (ba   | ill) |     | ***   |      | 1   | 1   |
| 2 | T1071 | Oil seal, D.S. bearing (felt)         |      | ••• |       |      | 1   | 1   |
| 3 | T1072 | Plate, D.S. bearing seal retaining    | •••  | ••• |       | **** | 1   | 1   |
| 4 | T1073 | Bearing, D.S. gearbox layshaft (plain | n)   |     |       |      | 1   | - 1 |
| 5 | E3172 | Peg, layshaft bearing locating        | •••  | ••• |       |      | 1   | 1   |
| 6 | T1269 | Disc, D.S. gearbox layshaft bearing   |      |     | 84446 |      | 1   | 1   |




FIG. 2. MAINSHAFT AND LAYSHAFT GEARS.

#### INDEX

| Illust. No. | Part No. | Page No. | Ref. No. | Illust. No. | Part No. | Page No. | Ref. No. |
|-------------|----------|----------|----------|-------------|----------|----------|----------|
|             | T1083    | 14       | , 1      | 9           | T1094    | 14       | 8        |
| 2           | TIII9    | 16       | 28       | 10          | T1095    | 14       | 9        |
| 3           | T1085    | 14       | 2        | 11          | T1097    | 14       | 10       |
| 4           | T1078    | 14       | 3        | 121         | T1279    | 16       | 8        |
| 5           | T1080    | 14       | 4        | 3 4         | TI118    | 16       | 9        |
| 6           | T1089    | 14       | 5        | 4 L I       | T1281    | 16       | 10       |
| 7           | T1090    | 14       | 6        | 15 -        | T1282    | 16       | 11       |
| 8           | T1091    | 14       | 7        | (E SPF      | TILL     | 16       | 12       |

REF. No. PART No.

DESCRIPTION

QUANTITY

|          | 17/11/140,     |  | .5 CIVII | 77011    |         |         |     | OAIT |     |  |
|----------|----------------|--|----------|----------|---------|---------|-----|------|-----|--|
|          |                | KICKSTARTER  |          |          |         |         |     | T15  | T20 |  |
| 1        | T1165          | Kickstarter assembly, folding                        |          |          |         |         | *** | 1    | 1   |  |
| 2        | T1166          | Crank, kickstarter                                   | ***      | •••      |         |         |     | 1    | 1   |  |
| 3        | T1168          | Pedal kickstarter crank                              |          | ***      |         | •••     | *** | 1    | 1   |  |
| 3a       | F1814          | Rubber, kickstarter pedal                            |          | (****    | ***     | ***     |     | _    | 1   |  |
| 4        | T1169          | Bolt, kickstarter crank to per                       | dal      | ***      | •••     | ***     |     | 1    | 1   |  |
| 5        | <b>S70-3</b>   | Ball, kickstarter crank to pe                        |          | ***      | •••     | ***     | *** | 1    | 1   |  |
| 6        | T1167          | Spring, kickstarter crank to                         | oedal    | ***      | •••     | ***     |     | 1    | 1   |  |
| 7        | S52-I          | Cotter, kickstarter crank c/w                        |          | and wa   | sher    | ***     |     | 1    | t   |  |
| 8        | T1279          | Spindle, kickstarter c/w bush                        |          |          | ***     |         |     | 1    | 1   |  |
| 9        | T1118          | Bush, kickstarter spindle                            | ***      | (40)44   | ***     | ***     |     | 1    | 1   |  |
| 10       | T1281          | Pawl, kickstarter                                    |          | • • •    |         | ***     |     | 1    | 1   |  |
| H .      | T1282          | Plunger, kickstarter pawl                            |          |          | •••     |         |     | 1    | 1   |  |
| 12       | T1161          | Spring, kickstarter plunger                          |          |          | •••     | •••     |     | 1    | 1   |  |
| 13       | T1274          | Disc, pawl retaining                                 |          |          | ***     |         |     | 1    | I   |  |
| 14       | T1162          | Spring, kickstarter return                           | •••      |          | ***     |         |     | 1    | 1   |  |
| 15       | T1163          | Plate, kickstarter return spr                        | ing ar   | nchor    |         | •••     |     | 1    | 1   |  |
| 16       | T1157          | Plate, kickstarter stop                              |          |          |         | •••     |     | 1    | 1   |  |
| 17       | T1158          | Screw, kickstarter stop plate                        |          |          |         |         |     | 1    | I   |  |
| 18<br>19 | T1081<br>T1082 | Sprocket, gearbox, 17 teeth<br>Nut, gearbox sprocket | •••      | •••      | ***     | •••     | ••• | i    | ì   |  |
| 0.       |                |  |          | •••      | ***     |         |     |      | 7,8 |  |
|          |                | FILLER, LEVEL AND DRAIN                              | PLI      | UGS      |         |         |     |      | I.  |  |
| 20       | TIIIO          | Plug, gearbox filler                                 | ***      | •••      | •••     | ***     |     | 1    | - 1 |  |
| 21       | E697           | Washer, gearbox filler plug                          |          | ***      | ***     | •••     | *** | - 1  | - 1 |  |
| 22       | T1112          | Plug, gearbox drain                                  | • • •    | •••      | ***     | ***     |     | 1    | - 1 |  |
| 23       | T1257          | Washer, gearbox drain plug                           | •••      | ***      | •••     | ***     |     | 1    | 1   |  |
| 24       | T361           | Plug, gearbox level                                  | ***      | 100      | •••     | ***     | ••• | 1    | 1   |  |
| 25       | WE170          | Washer, gearbox level plug                           | ***      | ***      | ***     | ***     | *** | 1    | l   |  |
|          |                | CLUTCH   |          | -        |         |         |     |      |     |  |
| 26       | T1365          | Clutch, complete                                     | •••      | •••      | •••     | •••     | ••• | 1    |     |  |
| 27       | T1341          | Clutch, complete                                     | •••      | •••      | ***     | •••     | ••• | -    | ı   |  |
| 28       | T1119          | Key, clutch to mainshaft                             | •••      | • • • •  | •••     | •••     | ••• | I    | I   |  |
| 29       | T1347          | Lockwasher, clutch nut                               | • • •    | • • •    |         | • • • • |     | I    | 4   |  |
| 30       | T1348          | Nut, clutch to mainshaft                             | •••      |          | ***     |         | ••• | I    | I   |  |
| 31       | T1310          | Housing and sprocket compl                           |          |          |         |         | ••• | Ţ    |     |  |
| 32       | T1343          | Housing and sprocket compl                           |          | ith lini | ngs (36 | teeth)  | ••• | -    | I   |  |
| 33       | T1124          | Ball, clutch sprocket bearing                        |          |          | •••     |         | ••• | 16   | 16  |  |
| 34       | T1264          | Bearing ring, clutch sprocket                        |          | -        | •••     | •••     | *** | 1    | 1   |  |






FIG. 3. CLUTCH AND SHOCK ABSORBER UNIT.

#### INDEX

| Illust. No.  | Part No.                         | Page No. Ref. No.          | Illust. No.          | Part No.                         | Page No.             | Ref. No.             |
|--------------|----------------------------------|----------------------------|----------------------|----------------------------------|----------------------|----------------------|
| 1<br>2<br>3  | T1128<br>T1318<br>T1132          | 18<br>18<br>18             | 11                   | T1310<br>T1343<br>T1315          | 16<br>16<br>18       | 31<br>32<br>9        |
| 4<br>5<br>6  | T1346<br>T1347<br>T1314<br>T1364 | 18<br>16<br>18<br>2<br>18  | 13<br>14<br>15<br>16 | T1294<br>T1253<br>GS662<br>T1256 | 18<br>18<br>18<br>18 | 10<br>11<br>13<br>12 |
| 8<br>9<br>10 | T1350<br>T1124<br>T1264          | 18<br>16<br>16<br>33<br>34 |                      | T1144<br>T1145<br>T1146          | 18<br>18<br>18       | 14<br>15<br>16       |
| 10           | 20 .                             | BIKE                       | SPA                  | RES                              |                      |                      |

#### **GROUP 4 — EXHAUST SYSTEM**

| REF. No. | PART No.                              | T No. DESCRIPTION Q                             |      |     |     |  |  |  |
|----------|---------------------------------------|---|------|-----|-----|--|--|--|
|          | *                                     |   |      | TIS | T20 |  |  |  |
| 1        | T1345                                 | Shock absorber assembly comprising lines 2 to 8 |      | . 1 | 1   |  |  |  |
| 2        | T1314                                 | Clutch centre                                   |      | . 1 | 1   |  |  |  |
| 3        | T1128                                 | Backplate                                       |      |     | 1   |  |  |  |
| 4        | T1364                                 | Cup, centre driving                             |      |     | 3   |  |  |  |
| 5        | T1350                                 | Pin, driving cup                                |      | . 3 | 3   |  |  |  |
| 6        | T1346                                 | Spider  |      |     | 1   |  |  |  |
| 7        | T1132                                 | Rubber, drive                                   |      |     | 3   |  |  |  |
| 8        | T1318                                 | Rubber, rebound                                 |      |     | 3   |  |  |  |
| 9        | T1315                                 | Driven Plate                                    | •••  |     | 3   |  |  |  |
| 10       | T1294                                 | Driving plate complete with linings             |      | . 3 | 3   |  |  |  |
| 11       | T1253                                 | Pressure plate                                  |      | . 1 | 1   |  |  |  |
| 12       | T1256                                 | Adjuster, pressure plate                        | •••  | 1   | 1   |  |  |  |
| 13       | GS662                                 | Nut, for adjuster                               | •••  |     | 1   |  |  |  |
| 14       | T11 <del>44</del>                     | Spring cup                                      | **** |     | 3   |  |  |  |
| 15       | T1145                                 | Spring, clutch pressure                         | ***  |     | 3   |  |  |  |
| 16       | T1146                                 | Nut, clutch pin                                 |      | . 3 | 3   |  |  |  |
|          | CL                                    | UTCH CONTROL                                    |      |     |     |  |  |  |
| 17       | T1233                                 | Lever, clutch operating assembly                | •••  | . 1 | 1   |  |  |  |
| 18       | T1235                                 | Lever, clutch operating                         |      | . 1 | 1   |  |  |  |
| 19       | T1236                                 | Pin, operating lever fulcrum                    |      | . 1 | 1   |  |  |  |
| 20       | T1155                                 | Cup, operating lever thrust                     | •••  | . 1 | 1   |  |  |  |
| 21       | T1124                                 | Ball, cup to rod                                |      | . 1 | 1   |  |  |  |
| 22       | $\frac{1}{16}'' \times \frac{1}{2}''$ | Split-pin, cup to lever                         |      | . 1 | -1  |  |  |  |
| 23       | T1234                                 | Fulcrum, clutch operating lever                 |      | . 1 | 1   |  |  |  |
| 24       | T1140                                 | Rod, clutch operating                           | ***  | . 1 | 1   |  |  |  |
|          |                                       | EXHAUST SYSTEM - GROUP 4                        |      |     |     |  |  |  |
|          | EX                                    | HAUST PIPE                                      |      |     |     |  |  |  |
| 25       | E3257                                 | Pipe, exhaust                                   |      | . 1 | - 1 |  |  |  |
| 26       | E3259                                 | Clip, exhaust pipe to cylinder head             |      | . 1 | 1   |  |  |  |
| 27       | E3260                                 | Bolt, exhaust pipe to cylinder head             | •••  | . 1 | 1   |  |  |  |
| 28       | S25-13                                | Washer, exhaust pipe to cylinder head clip bolt | ***  | . 1 | 1   |  |  |  |
|          | SIL                                   | ENCER   |      |     |     |  |  |  |
| 29       | E3261                                 | Silencer  | ***  | . 1 | - 1 |  |  |  |
| 30       | E3269                                 | Clip, silencer to exhaust pipe                  | •••  | . 1 | 1   |  |  |  |
| 31       | TEI64E                                | Bolt, silencer to exhaust pipe clip             |      | . 1 | 1   |  |  |  |
| 32       | TEI64D                                | 'D' Washer, silencer to exhaust pipe clip bolt  |      | . 1 | 1   |  |  |  |
| 33       | TEI64C                                | 'D' Nut, silencer to exhaust pipe clip bolt     |      | . 1 | 1   |  |  |  |
| 34       | F929                                  | Bolt, silencer to frame                         |      | . 1 | - 1 |  |  |  |
| 35       | SI-5I                                 | Nut, silencer to frame bolt                     | ***  | . 1 | 1   |  |  |  |
| 36       | S26-2                                 | Washer, silencer to frame bolt R                | ***  | . 1 | 1   |  |  |  |




**QUANTITY** 

## FRAME - GROUP 5

|     |                                | Illustrated on Pages 20 and 21—Figs. 4 and | 5   |        |     |     |
|-----|--------------------------------|--|---|--------|-----|-----|
|     | FRA                            | ME   |   |        | T15 | T20 |
| - 1 | F3926                          | Frame, only                                |   |        | 1   | I   |
| 2   | F3953                          | Bolt, front and rear engine mounting       |   |        | 2   | 2   |
| 3   | F3954                          | Bolt, lower engine mounting                | ***   |        | j   | 1   |
| 4   | F3955                          | Nut, engine mounting bolt                  | •••   |        | 3   | 3   |
| 5   | F3929                          | Distance piece, engine bolts               | •••   |        | 3   | 3   |
|     | - REA                          | R SUSPENSION                               |   |        |     |     |
| 6   | F4038                          | Fork end, R.H. c/w grease nipple           |   |        | 1   | ı   |
| 7   | F4037                          | Fork end, L.H. c/w pin and grease nipple   |   |        | 1   | Ī   |
| 8   | NW100                          | Nipple, fork end grease                    |   |        | 2   | 2   |
| 9   | F3781                          | Pin, fork end brake anchorage              |   |        | 1   | 1   |
| 10  | <sup>6</sup> F3 <del>422</del> | Backing washer, plunger lug (top)          |   |        | 2   | 2   |
| 11  | F3577                          | Cup, plunger lug (bottom)                  |   |        | 2   | 2   |
| 12  | F3423                          | Gaiter, plunger lug bottom (rubber)        |   |        | 2   | 2   |
| 13  | F3425                          | Spring, suspension main                    |   |        | 2   | 2   |
| 14  | F3426                          | Spring, suspension rebound                 |   |        | 2   | 2   |
| 15  | F342 <b>7</b>                  | Cover, suspension spring (lower)           |   | ٠      | 2   | 2   |
| 16  | F3428                          | Cover, suspension spring (upper)           |   |        | 2   | 2   |
| 17  | F3853                          | Rod, plunger guide                         |   |        | 2   | 2   |
| 18  | F3854                          | Nut, plunger guide rod                     |   |        | 2   | 2   |
| 19  | F3430                          | Bolt, plunger guide to lug clamp           |   |        | 2   | 2   |
| 20  | <b>E47</b> 0                   | Nut, plunger guide to lug clamp            |   |        | 2   | 2   |
| 21  | S25-3                          | Washer, plunger guide to lug clamp         |   |        | 2   | 2   |
|     |                                |  |   |        |     |     |
|     |                                | STAND - GROUP 6                            |   |        |     |     |
|     | CEN                            | TRE STAND                                  |   |        |     |     |
| 22  | F3762                          | Stand c/w fittings                         |   |        | Ĭ   | -   |
| 23  | F3956                          | Stand c/w fittings                         |   |        | _   | 1   |
| 24  | F3763                          | Stand only                                 |   |        | 1   | _   |
| 25  | F3957                          | Stand only                                 |   |        | -   | 1   |
| 26  | F3747                          | Spring, stand return                       |   |        | 1   |     |
| 27  | F3960                          | Spring, stand return                       |   |        | -   | 1   |
| 28  | F3520                          | Bolt, stand pivot                          |   | ,      | 2   | 2   |
| 29  | DS47                           | Nut, pivot bolt                            |   |        | 2   | 2   |
|     | PRO                            | STAND                                      |   |        |     |     |
| 30  | F3681                          | Prop stand c/w fittings                    |   |        | 1   | -   |
| 31  | F3937                          | Prop stand c/w fittings C C C              | <u>r.                                    </u> |        | -   | 1   |
| 32  | F3097                          | Pin, stand pivot                           | J   |        | 1   | 1   |
| 33  | F3096                          | Lockwasher, pivot pin                      |   |        | 1   | 1   |
| 34  | F2610                          | Spring, return J. J. J. J.                 |   | 18.8.9 | 1   | 1   |
|     |                                | DINL JI IIILL                              | J   |        |     |     |
|     |                                | 19   |   |        |     |     |



#### GROUP 5 — FRAME






FIG. 5.

REAR
SUSPENSION.


For Index see below

#### INDEX TO FIG. 5.

| Illust. No. | Part No.      | Page No. | Ref. No. |
|-------------|---------------|----------|----------|
| 1           | F4038         | 19       | 6        |
|             | E4037         | 19       | 7        |
| 2           | 001WN         | 19       | 8        |
| 3           | F3718         | 19       | 9        |
| 4           | F3422 (Upper  | ) 19     | 10       |
|             | F3577 (Lower) | 19       | 11       |
| 5           | F3423         | 19       | 12       |
| 5<br>6      | F3425         | 19       | 13       |
| 7           | F3426         | 19       | 14       |
| 8           | F3427         | 19       | 15       |
| 9           | F3428         | 19       | 16       |
| 10          | F3853         | 19       | 17       |
| EE          | F3854         | 19       | 18       |

|                       |          | INDE     | X TO FIG | i. 4. PAG              | E 20.          |          |          |
|-----------------------|----------|----------|----------|------------------------|----------------|----------|----------|
| Illust. No.           | Part No. | Page No. | Ref. No. | Illust. No.            | Part No.       | Page No. | Ref. No. |
|                       | F3926    | 19       | 1        | 20                     | F3468          | 39       | 2        |
| 2                     | F3953    | 19       | 2        | 21                     | F3449          | 39       | 13       |
| 3                     | F3954    | 19       | 3        | 22                     | F3450          | 39       | 14       |
|                       | F3955    | 19       | 4        | 23                     | F1695          | 39       | 15       |
| 5                     | F4038    | 19       | 6        | 24                     | F3448          | 39       | 16       |
| 6                     | F4037    | 19       | 7        | 25                     | H193           | 39       | 17       |
| 4<br>5<br>6<br>8<br>9 | F3427    | 19       | 15       | 26                     | F3456          | 40       | I        |
| 9                     | F3428    | 19       | 16       | 27                     | F3459          | 40       | 2        |
| 10                    | F3430    | 19       | 19       |                        | F3933          | 40       | 3        |
| - 11                  | E470     | 19       | 20       | 28                     | SI-51          | 40       | 4        |
| 12                    | F3763    | 19       | 24       | 29                     | T224           | 40       | 6        |
| ^-                    | F3957    | 19       | 25       | 30                     | F3498          | 37       | 10       |
| 13                    | F3747    | 19       | 26       | 31                     | SI-51          | 37       | 11       |
|                       | F3960    | 19       | 27       | 32                     | F3460          | 40       | 8        |
| 14                    | F3520    | 19       | 28       |                        | F3463          | 40       | 12       |
| 15                    | F3520    | 19       | 28       | 134 D                  | F3681          | 19       | 30       |
| 16                    | DS47     | 19       | 29       | S G L H A              | F3 <b>9</b> 37 | 19       | 31       |
| 17                    | H835     | 25       | 16       | 35                     | F3097          | 19       | 32       |
| 18                    | F2596    | 37       | 23       | <b>E</b> 36 <b>D D</b> | F3096          | 19       | 33       |
| 19                    | SI-51    | 39       | THIK     | 37 H                   | F <b>3</b> 610 | 19       | 34       |

#### **GROUP 7 — TELESCOPIC FRONT FORK**



#### INDEX TO FIG. 6. PAGE 22.

| Illust. No.                     | Part No. | Page No. | Ref. No.              |
|---------------------------------|----------|----------|-----------------------|
| 1                               | H828     | 24       | 2                     |
| 2                               | H834     | 24       | 2                     |
| 3                               | H518     | 24       | 4                     |
| 4                               | S25-3    | 24       | 6                     |
| 2<br>3<br>4<br>5<br>6<br>7<br>8 | H837     | 24       | 6<br>7<br>8           |
| 6                               | H570     | 24       | 8                     |
| 7                               | SI-5I    | 24       | 9                     |
| 8                               | S25-3    | 24       | 10                    |
| 9                               | H840     | 24       | 11                    |
| 10                              | H843     | 24       | 12                    |
| 11                              | NW100    | 24       | 13                    |
| 12<br>13                        | H845     | 24       | 14                    |
| 13                              | H846     | 24       | 15                    |
| 13A                             | E2287    | 24       | 16                    |
| 14                              | H847     | 24       | 19                    |
| 15                              | H850     | 24       | 20                    |
| 16                              | H851     | 24       | 21                    |
| 17                              | H852     | 24       | 22                    |
| 18                              | SI-5I    | 24       | 23                    |
| 19                              | H853     | 24       | 24                    |
| 20                              | H856     | 24       | 26                    |
| 21                              | W932     | 24       | 27                    |
| 22                              | E1612    | 24       | 28                    |
| 23                              | H948     | 24       | 25                    |
| 24                              | H860     | 24       | 29                    |
| 25                              | H861     | 25       | Ī                     |
| 26                              | H862     | 25       | 2                     |
| 27                              | H863     | 25       | 3                     |
| 28                              | H823     | 25       | 4                     |
| 29                              | H822     | 25       | 5                     |
| 30                              | H877     | 25       | 2<br>3<br>4<br>5<br>6 |
| 31                              | H878     | 25       | 7                     |
| 32                              | H833     | 25       | 17                    |
| 33                              | H836     | 25       | 19                    |
| 34                              | H873     | 31       | 8                     |
| 35                              | H864     | 40       | 18                    |
| 36                              | H865     | 40       | 19                    |
| 37                              | F879     | 40       | 20                    |
| 38                              | H902 \   | 24       | 18                    |
| 39                              | H903     | 24       | 17                    |

#### TELESCOPIC FRONT FORK - GROUP 7

Illustrated on Page 22—Fig. 6

|    | FR    | ONT FORK                               |     |         |           | T15 | T20 |
|----|-------|--|-----|---------|-----------|-----|-----|
| ī  | H827  | Fork, assembly                         |     |         |           | 1   | 1   |
| 2  | H828  | Lug, fork stem and middle              |     | •••     |           | 1   | -1  |
| 3  | H834  | Bolt, middle lug pinch                 |     |         |           | 2   | 2   |
| 4  | H518  | Nut, middle lug pinch bolt             |     |         | ***       | 2   | 2   |
| 5  | F3098 | Clip, for front brake cable            |     |         |           | 1   | 1   |
| 6  | S25-3 | Washer, middle lug pinch bolt          |     |         |           | 4   | 4   |
| 7  | H837  | Lug, fork top                          | *** |         |           | 1   | 1   |
| 8  | H570  | Bolt, fork top lug clamp               | ••• | •••     |           | 1   | 1   |
| 9  | SI-51 | Nut, fork top lug clamp bolt           |     |         | (****)    | 1   | 1   |
| 10 | S25-3 | Washer, fork top lug clamp bolt        |     |         |           | 1   | - 1 |
| H  | H840  | Sleeve nut, fork stem                  |     |         |           | 1   | -1  |
| 12 | H843  | Stanchion fork c/w bush                |     |         | ***       | 2   | 2   |
| 13 | NWI00 | Grease nipple, stanchion               | *** | ***     |           | 2   | 2   |
| 14 | H845  | Bush, stanchion bottom                 |     |         | ***       | 2   | 2   |
| 15 | H846  | Nut, stanchion to top lug              |     | •••     | 3(M.M.M.) | 2   | 2   |
| 16 | E2287 | Washer, stanchion to top lug nut       |     | ***     | ***       | 2   | 2   |
| 17 | H903  | Buffer, stanchion rubber               |     |         |           | 2   | 2   |
| 18 | H902  | Washer, stanchion rubber buffer        |     |         |           | 2   | 2   |
| 19 | H847  | Spring, fork c/w studs, etc            |     | ***     | (*)*(*)   | 2   | 2   |
| 20 | H850  | Stud, fork spring (short) top          |     | ***     | ***       | 2   | 2   |
| 21 | H851  | Stopnut, fork spring (bottom)          | ••• | (* ***) | ***       | 2   | 2   |
| 22 | H852  | Rod, fork spring anchor (bottom)       |     | ***     | ***       | 2   | 2   |
| 23 | SI-51 | Nut, fork spring (short) stud          |     |         |           | 2   | 2   |
| 24 | H853  | Member, outer lower c/w cap L.H        |     | ***     |           | - 1 | - 1 |
| 25 | H948  | Member, outer lower c/w cap R.H        |     | ***     | ***       | 1   | 1   |
| 26 | H856  | Cap, outer lower member lug spindle    |     |         |           | 2   | 2   |
| 27 | W932  | Bolt, outer lower member lug spindle   |     |         |           | 4   | 4   |
| 28 | E1612 | Washer, outer lower member lug spindle |     | ***     |           | 4   | 4   |
| 29 | H860  | Bush outer lower member top            |     |         |           | 2   | 2   |


#### TELESCOPIC FRONT FORK - GROUP 7

| REF. N | No. PART No. | DESCRIPTION                                   | (     | QUAN | TITY |
|--------|--------------|---|-------|------|------|
|        | 140.         |   |       | TI5  | T20  |
| 1      | H861         | Sleeve nut, outer lower member                |       | 2    | 2    |
| 2      | H862         | Washer, sleeve nut (steel)                    |       | 2    | 2    |
| 3      | H863         | Washer, sleeve nut (felt)                     |       | 2    | 2    |
| 4      | H823         | Nacelle, bottom unit                          |       | 1    | ľ    |
| 5      | H822         | Nacelle, top unit                             |       | 1    | 1    |
| 6      | H877         | Flash, L.H. (Motif)                           |       | 1    | i    |
| 7      | H878         | Flash, R.H. (Motif)                           |       | - 1  | 1    |
| 8      | H688         | Screw, flash and top and bottom unit          |       | 2    | 2    |
| 9      | H691         | Nut, flash and top and bottom unit            |       | 2    | 2    |
| 10     | E2880        | Washer, flash and top and bottom unit         |       | 2    | 2    |
| H      | H916         | Screw, flash and top and bottom unit (centre) |       | 2    | 2    |
| 12     | H689         | Screw, top and bottom unit (rear)             |       | 2    | 2    |
| 13     | H691         | Nut, top and bottom unit (rear)               |       | 2    | 2    |
| 14     | E2880        | Washer, top and bottom unit (rear)            |       | 2    | 2    |
| 15     | H961         | Grommet, control cables                       | • ••• | 2    | 2    |
|        | ST           | EERING RACES                                  |       |      |      |
| 16     | H835         | Cup, steering race (top and bottom)           |       | 2    | 2    |
| 17     | H833         | Cone, steering race (top and bottom)          |       | 2    | 2    |
| 18     | S70-3        | Ball, steering race (top and bottom)          |       | 30   | 30   |
| 19     | H836         | Cover, steering race dust                     |       | 1    | 1    |
|        | LIC          | CENCE HOLDER                                  |       |      |      |
| 20     | D261         | Holder, licence                               |       | 1    | 1    |

DESPATCHING GOODS. Parts being returned to either the Distributor or Triumph Service Department for rectification should be well packed to avoid damage in transit. Cylinder barrels and cylinder heads are extremely vulnerable to breakage of the fins; when casing, pack straw or old newspapers, etc., round the finning to prevent damage due to shock. Advice of despatch should be forwarded to the consignee and the sender MUST securely attach a label to the returned parts, clearly stating his name and address.

**RECEIVING GOODS.** Every possible precaution is taken to ensure that the sender's order has been correctly interpreted and the goods despatched are correct to the invoice. Parts sent in for repair are tested before despatch and are subsequently covered by our guarantee on Page 53. In the event of any shortage or damage in transit, we must be advised within 48 hours of arrival in order that the necessary action can be taken. No claim can be entertained after this period.

BIKE SPARES



QUANTITY


#### WHEELS - GROUP 8

Illustrated on Page 26—Fig. 7

|    | FI     | RONT WHEEL   |       |     |        |                    | TI5 | T20 |
|----|--------|--|-------|-----|--------|--------------------|-----|-----|
| I  | W1001  | Wheel, front, complete                                     | •.•.• | ••• |        | •••                | 1   |     |
| 2  | W1171  | Wheel, front complete                                      | • • • | ••• | *****  | ***                | _   | 1   |
| 3  | W960   | Rim, spokes and hub assembly                               |       |     |        | ***                | 1   | _   |
| 4  | W1172  | Rim, spokes and hub assembly                               | • • • | ••• | (****) | ***                | _   | 1   |
| 5  | W1002  | Rim, front wheel, W.M.I19                                  |       | .,. | ***    | ) <b>*</b> (*) * ( | I   |     |
| 6  | W1173  | Rim, front wheel, W.M.2-16                                 |       |     | ***    |                    | _   | 1   |
| 7  | W963   | Spoke and nipple, L.H., $8\frac{1}{2}$ ins. $90^{\circ}$   |       |     |        |                    | 20  | _   |
| 8  | W964   | Spoke and nipple, R.H., $6\frac{7}{8}$ ins. $90^{\circ}$   |       |     | ***    | •••                | 20  | -   |
| 9  | W1174  | Spoke and nipple, L.H., $6\frac{29}{32}$ ins. $90^\circ$   |       |     | ***    |                    | _   | 20  |
| 10 | W1175  | Spoke and nipple, R.H., $5\frac{11}{32}$ ins. $90^{\circ}$ |       | ••• | ***    | •••                | -   | 20  |
| 11 | W965   | Nipple, spoke  | • • • | ••• | ***    | •••                | 40  | 40  |
| 12 | W961   | Hub and brake drum assembly                                |       |     | •••    | •••                | 1   | 1   |
| 13 | W967   | Spindle, front wheel                                       |       |     | •••    | •••                | 1   | 1   |
| 14 | W1093  | Nut, front wheel spindle to anchor pl                      | late  | *** | ***    | •••                | - 1 | 1   |
| 15 | T530   | Bearing, front wheel L.H                                   |       |     | ***    |                    | 1   | 1   |
| 16 | W966   | Dust cap, front wheel L.H                                  | •••   | ••• | •••    |                    | - 1 | 1   |
| 17 | T532   | Circlip, front wheel L.H. dust cap .                       |       | ••• |        | •••                | 1   | 1   |
| 18 | H826   | Bearing, front wheel R.H                                   | •••   | ••• | ***    | ***                | 1   | 1   |
| 19 | W968   | Ring, front wheel R.H. locking                             |       | ••• | ***    |                    | I   | 1   |
|    | FR     | ONT WHEEL BRAKE  |       |     |        |                    |     |     |
| 20 | W969   | Plate, front brake anchor                                  | •••   | ••• | •••    |                    | 1   | -   |
| 21 | W1065  | Plate, front brake anchor                                  | •••   | ••• |        | • • •              | -   | 1   |
| 22 | W1128  | Cam assembly, front brake                                  | ••    | ••• | ***    |                    | 1   | 1   |
| 23 | W1130  | Lever, front brake   |       |     | •••    | ***                | 1   | 1   |
| 24 | T224   | Nut, front brake lever                                     |       |     | •••    | •••                | - 1 | 1   |
| 25 | S25-71 | Washer, front brake lever                                  |       |     | •••    | •••                | 1   | 1   |
|    |        |  |       |     |        |                    |     |     |

#### INDEX TO FIG. 7. PAGE 26.

| Illust. No. | Part No. | Page No. | Ref. No. | Illust. No. | Part No.     | Page No. | Ref. No |
|-------------|----------|----------|----------|-------------|--------------|----------|---------|
| 1           | W1002    | 27       | 5        | П           | H826         | 27       | 18      |
|             | W1173    | 27       | 6        | 12          | W968         | 27       | 19      |
| 2           | W964     | 27       | 8        | 13          | W969         | 27       | 20      |
|             | W1175    | 27       | 10       |             | W1065        | 27       | 21      |
| 3           | W963     | 27       | 7        | 14          | W1128        | 27       | 22      |
|             | W1174    | 27       | 9        | 15          | W1130        | 27       | 23      |
| 4           | W965     | 27       |          | 16          | T224         | 27       | 24      |
| 5           | W961     | 27       | 12       | 01700       | W977         | 29       | 1       |
| 6           | W967     | 27       | 13       | 18          | <b>W978</b>  | 29       | 2       |
| 7           | W1093    | 27       | 14       |             | <b>W97</b> 9 | 29       | 3       |
| 8           | T530     | 27/      | _15(     | 20          | W200         | 29       | 4       |
| 9           | W966     | 27       | D16 // L |             | \$1-52       | 29       | 5       |
| 10          | T532     | 27       | D1 \ [   | JPHI        | TEJ          |          |         |
|             |          |          | 2        | 27          |              |          |         |



| TITY | QUAN | Ç     | DESCRIPTION                            |     |         |                      |  | PART No. | REF. No. |  |
|------|------|-------|--|-----|---------|----------------------|--|----------|----------|--|
| T20  | TI5  |       |  |     |         |                      |  |          |          |  |
| 2    | 2    |       | • • •                                  | *** | ***     | •••                  | Shoe, front brake c/w lining               | W977     | ī        |  |
| 2    | 2    | ***   | ***                                    | *** |         | ***                  | Lining, front brake                        | W978     | 2        |  |
| 12   | 12   | •••   |  | ••• |         |                      | Rivet, front brake lining                  | W979     | 3        |  |
| 2    | 2    |       | 1000                                   |     |         | ***                  | Spring, front brake shoe                   | W200     | 4        |  |
| 1    | - 1  |       | ***                                    | *** |         | clip                 | Nut, front brake anchorage to              | S1-52    | 5        |  |
| 1    | 1    | •••   | •••                                    |     | ip      | e to cli             | Washer, front brake anchorag               | S26-I    | 6        |  |
|      |      |       |  |     |         |                      | AR WHEEL                                   | R        |          |  |
| _    | 1    | ***   | ***                                    | *** |         |                      | Wheel, rear, complete                      | W1207    | 7        |  |
| 1    | -    | ***   | •••                                    |     |         |                      | Wheel, rear, complete                      | W1211    | 8        |  |
| -    | 1    | ***   |  |     |         | /                    | Rim, spokes and hub assembly               | W1208    | 9        |  |
| 1    | -    | •••   | ***                                    |     |         |                      | Rim, spokes and hub assembly               | W1212    | 10       |  |
| -    | 1    | ***   | ***                                    |     |         | ***                  | Rim, rear wheel W.M.I-19                   | W1002    | 11       |  |
| 1    | -    | •••   | 20000                                  | ••• |         |                      | Rim, rear wheel W.M.2-16                   | W1173    | 12       |  |
| -    | 20   |       |  | ••• |         | 90°                  | Spoke and nipple R.H. 8½ ins.              | W963     | 13       |  |
| 20   |      |       | ***                                    |     |         | . 90°                | Spoke and nipple R.H. $6\frac{29}{32}$ ins | W1174    | 14       |  |
| -    | 10   |       | •••                                    |     | 100°    | $6\frac{7}{8}$ ins.  | Spoke and nipple L.H. butted               | W1205    | 15       |  |
| -    | 10   | •••   | (****/.                                | *** | 80°     | $6\frac{7}{8}$ ins.  | Spoke and nipple L.H. butted               | W1206    | 16       |  |
| 10   | -    | •••   | ***                                    |     | s. 100° | $5\frac{15}{32}$ ins | Spoke and nipple L.H. butted               | W1213    | 17       |  |
| 10   | _    | • • • | ***                                    | *** | s. 80°  | $5\frac{15}{32}$ ins | Spoke and nipple L.H. butted               | W1214    | 18       |  |
| 40   | 40   |       | ************************************** |     |         | ***                  | Nipple                                     | W965     | 19       |  |
| 1    | 1    | ***   | <b>4.44</b> )                          |     |         | •••                  | Hub and brake drum                         | W1209    | 20       |  |
| -    | 1    |       | ***                                    | ••• |         |                      | Sprocket, 48 teeth                         | W984     | 21       |  |
| 1    | _    | •••   | ***                                    |     |         |                      | Sprocket, 54 teeth                         | W1076    | 22       |  |
| 8    | 8    |       |  |     |         | •••                  | Bolt, sprocket to brake drum               | W985     | 23       |  |
| 8    | 8    | • • • | ***                                    |     |         |                      | Washer, sprocket bolt                      | W1122    | 24       |  |

| INDEX | TO | FIG. | 8. | PAGE | 28. |
|-------|----|------|----|------|-----|
|       |    |      | •  |      |     |

| Illust. No. | Part No. | Page No. | Ref. No. | Illust. No. | Part No. | Page No. | Ref. No. |
|-------------|----------|----------|----------|-------------|----------|----------|----------|
| 1           | W1002    | 29       | H        | 14          | W954     | 30       | 6        |
| 37          | W1173    | 29       | 12       | 15          | W995     | 30       | 7        |
| 2           | W1205    | 29       | 15       |             | W1183    | 30       | 8        |
| _           | W1206    | 29       | 16       | 16          | W990     | 30       | 9        |
|             | W1213    | 29       | 17       |             | W1179    | 30       | 10       |
|             | W1214    | 29       | 18       | 17          | W1128    | 30       | 11       |
| 3           | W963     | 29       | 13       | 18          | W1131    | 30       | 12       |
|             | W1174    | 29       | 14       | 1           | W1181    | 30       | 13       |
| 4           | W965     | 29       | 19       | 19          | T224     | 30       | 14       |
| 5           | W1209    | 29       | 20       | 20          | S25-71   | 30       | 15       |
| 6           | W984     | 29       | 21       | 21          | W977     | 30       | 16       |
|             | W1076    | 29       | 22       | 22          | W978     | 30       | 17       |
| 7           | W985     | 29       | 23       | 23          | W979     | 30       | 18       |
| 8           | W1122    | 29       | 24       | 24          | W200     | 30       | 19       |
| 8<br>9      | W989     | 30       |          | 25          | W996     | 30       | 20       |
| 10          | W1000    | 30       | 2        | 26          | W999     | 30       | 21       |
| II          | H826     | 30       | 3        | 27          | F879     | 30       | 22       |
| 12          | W987     | 30 /     |          | 28 O F      | D175     | 51       | 12       |
| 13          | W988     | 30       | BiKE     | 5PHF        | (ES      |          |          |

| REF. No. | PART No. | D                             | ESCRIP | TION  |      |        | Q    | UAN' | TITY |
|----------|----------|-------------------------------|--------|-------|------|--------|------|------|------|
|          |          | N.                            |        |       |      |        |      | T15  | T20  |
| 1        | W989     | Spindle, rear wheel           | •••    |       | •••  | •••    | •••  | 1    | 1    |
| 2        | W1000    | Nut, rear wheel spindle       |        |       | •••  | •••    | •••  | 2    | 2    |
| 3        | H826     | Bearing, rear wheel R.H. and  | L.H.   |       | •••  | •••    |      | 2    | 2    |
| 4        | W987     | Backing ring, rear wheel bea  | ring R | .H.   | •••  |        |      | 1    | t    |
| 5        | W988     | Locking ring, rear wheel bea  | ring L | .H.   |      |        |      | 1    | 1    |
| 6        | W954     | Distance piece, rear wheel s  | _      |       | R.H. |        |      | 1    | 1    |
| 7        | W995     | Distance piece, rear wheel s  |        |       |      |        |      | -1   | _    |
| 8 -      | WI 183   | Distance piece, rear wheel s  |        |       |      | •••    | ***  | _    | 1    |
|          | RE       | AR WHEEL BRAKE                |        |       |      |        |      | a    |      |
| 9        | W990     | Plate, rear brake anchor      |        | ***   |      | •••    | •••  | 1    | -    |
| 10       | W1179    | Plate, rear brake anchor      |        |       | ***  | ***    |      | -    | 1    |
| 1        | W1128    | Cam, rear brake               |        | ***   | ***  | ***    |      | 1    | 1    |
| 12       | W1131    | Lever, rear brake             |        |       |      | ***    | ***  | 1    | _    |
| 13       | W1181    | Lever, rear brake             | ***    |       | ***  | ***    | •••  | -    | 1    |
| 14       | T224     | Nut, rear brake lever         |        |       |      | ***    |      | - 1  | 1    |
| 15       | S25-71   | Washer, rear brake lever      |        |       | ***  | ***    |      | 1    | 1    |
| 16       | W977     | Shoe, rear brake c/w lining   | ***    |       | ***  |        |      | 2    | 2    |
| 17       | W978     | Lining, rear brake            |        | • • • | +**  |        | •••  | 2    | 2    |
| 18       | W979     | Rivet, rear brake             |        |       | ***  |        |      | 12   | 12   |
| 19       | W200     | Spring, rear brake shoe       | •••    | ***   | ***  | ***    | •••  | 2    | 2    |
|          | RE       | AR WHEEL CHAIN ADJ            | USTE   | R     |      |        |      |      |      |
| 20       | W996     | Adjuster, rear chain          | ***    | ***   |      | •••    |      | 2    | 2    |
| 21       | W999     | End plate, rear chain adjuste | r      | ***   | ***  |        |      | 2    | 2    |
| 22       | F879     | Nut, rear chain adjuster      |        |       |      | passas | 1222 | 2    | 2    |





#### **MUDGUARDS — GROUP 9**

Illustrated on page 32

|          | F     | RONT MUDGUARD                                  |     |                 | T15 | T20             |
|----------|-------|--|-----|-----------------|-----|-----------------|
| 1        | H868  | Mudguard, front                                | ••• |                 | Ĭ   | _               |
| 2        | H929  | Mudguard, front                                | ••• |                 | -   | ì               |
| 3        | H871  | Stay, front mudguard, L.H                      | ••• |                 | 1   | Ĩ               |
| 4        | H872  | Stay, front mudguard, R.H                      | ••• |                 | Î   | 1               |
| 5        | DS57  | Bolt, front mudguard stay                      | ••• | •••             | 4   | 4               |
| 6        | F879  | Nut, front mudguard stay                       | ••• | •••             | 4   | 4               |
| 7        | E1612 | Washer, front mudguard stay                    | ••• |                 | 4   | 4               |
| 8        | H873  | Clip, fork leg centre bridge                   | ••• | •••             | 2   | 2               |
| 9        | GS218 | Bolt, clip                                     |     |                 | 2   | 2               |
| 10       | F879  | Nut, clip                                      |     |                 | 2   | 2               |
| 11       | E1612 | Washer, clip                                   |     | •••             | 2   | 2               |
| 12       | F3023 | Distance piece, stay bolt                      | ••• |                 | 2   | 2               |
| 13       | GS218 | Bolt, stay to fork lug bottom                  | *** |                 | 2   | 2               |
| 14       | E1612 | Washer, stay to fork lug bottom                |     |                 | 2   | 2               |
| ır       |       | EAR MUDGUARD                                   |     |                 |     |                 |
| 15       | F3479 | Mudguard, rear                                 | ••• | •••             | 1   | -               |
| 16       | F3939 | Mudguard, rear                                 | ••• | •••             | _   | 1               |
| 17       | F3484 | Stay, rear mudguard, L.H                       | ••• |                 | ı   | _               |
| 18       | F3942 | Stay, rear mudguard, L.H                       | *** | •••             | _   | 1               |
| 19       | F3488 | Stay, rear mudguard, R.H                       | *** | •••             | ı   | · <del></del> - |
| 20       | F3944 | Stay, rear mudguard, R.H                       | *** | •••             | -   | 1               |
| 21       | DS57  | Bolt, rear mudguard stays                      | ••• | •••             | 4   | 4               |
| 22       | F879  | Nut, rear mudguard stays                       | *** |                 | 4   | 4               |
| 23       | E1612 | Washer, rear mudguard stays                    |     | ***             | 4   | 4               |
| 24       | E470  | Nut, rear mudguard stays to plunger clamp bolt |     | •••             | 2   | 2               |
| 25       | F1369 | Bolt, rear mudguard to bridge                  | ••• |                 | ,   | 1               |
| 26       | E1612 | Washer, rear mudguard to bridge                | *** | •••             | 1   |                 |
| 27       | F879  | Nut, rear mudguard to bridge                   | ••• | ***             | L   |                 |
| 28       | F3483 | Backing strip, mudguard to frame bridge        | *** |                 | 1   | ı               |
| 29<br>10 | DS57  | Bolt, backing strip                            | *** | 0.000           | 2   | 2               |
|          | E1612 | Washer, backing strip bolt                     | *** | ***             | 2   | 2               |
| 81<br>82 | F879  | Nut, backing strip bolt I. L. I. J. J. U. U    | *** | ***             | 2   | 2               |
|          | E3203 | Grommet for mudguard holes ARES                | *** | 3 <b>0.6</b> 13 | 7   | 2               |





#### **GROUP 9 - MUDGUARDS**






FIG. 9. MUDGUARDS, NUMBER PLATES AND REAR CHAINGUARD.

QUANTITY

### NUMBER PLATES - GROUP 10

Illustrated on Page 32—Fig. 9

|    | FF    | RONT NUMBER PLATE                |     |     |     |     |     | <b>T</b> 15 | T20 |
|----|-------|----------------------------------|-----|-----|-----|-----|-----|-------------|-----|
| 1  | H874  | Plate, front number              | •   | ••• | ••• |     |     | 1           | 1   |
| 2  | H741  | Clip, assembly, front number pla | ate |     |     | ••• | ••• | 2           | 2   |
| 3  | H687  | Screw, front number plate to cli | ip  |     | ••• |     |     | 2           | 2   |
| 4  | H745  | Nut, clip screw                  | •   | ••• | ••• | ••• | ••• | 2           | 2   |
|    | RI    | EAR NUMBER PLATE                 |     |     |     |     | 29  |             |     |
| 5  | F3508 | Plate, rear number               |     |     | *** | *** | ••• | 1           | Ì   |
| 6  | F929  | Bolt, number plate top           | •   | ••• |     | ••• | ••• | 1           | I   |
| 7  | SI-51 | Nut, top bolt                    |     | ••• |     | ••• |     | 1           | 1   |
| 8  | S26-3 | Washer, top bolt                 |     | ••• | ••• | ••• | ••• | 1           | 1   |
| 9  | F1369 | Bolt, number plate bottom        |     | ••• |     |     |     | 2           | 2   |
| 10 | F879  | Nut, bottom bolt                 | •   | ••• |     | ••• |     | 2           | 2   |
| 11 | S26-2 | Washer, bottom bolt              |     |     |     |     | ••• | 2           | 2   |
| 12 | D68   | Transfer, number plate motif     |     |     |     |     | ••• | 1           | 1   |
| 13 | 57080 | Reflector, c/w nut and washer    |     | ••• | ••• | ••• | ••• | ı           | 1   |

#### INDEX TO FIG 9 PAGE 32

|             |               | INDEX    | TO FIG.  | 9. PAG         | E 32.          |          |             |
|-------------|---------------|----------|----------|----------------|----------------|----------|-------------|
| Illust. No. | Part No.      | Page No. | Ref. No. | Illust. No.    | Part No.       | Page No. | Ref. No.    |
| 1           | H868          | 31       |          | 19             | F879           | 31       | 31          |
|             | H929          | 31       | 2        | 20             | F1369          | 33       | 9           |
| 2           | H871          | 31       | 2<br>3   | 21             | F879           | 33       | 10          |
| 3           | H872          | 31       | 4        | 22             | 57080          | 33       | 13          |
| 4           | DS57          | 31       | 4<br>5   | 23             | H874           | 33       | 1           |
| 5           | F879          | 31       | 6        | 24             | H741           | 33       | 2           |
| 6           | GS218         | 31       | 9        | 25             | H687           | 33       | 2           |
| 7           | F879          | 31       | 10       | 26             | H745           | 33       | 4           |
| 8           | GS218         | 31       | 13       | 27             | F3508          | 33       | 4<br>5      |
| 8<br>9      | F3479         | 31       | 15       | 28             | F929           | 33       | 6           |
|             | F3939         | 31       | 16       | 29             | S1-51          | 33       | 6<br>7      |
| 10          | F3484         | 31       | 17       | 31             | F3431          | 34       | ı           |
|             | F3942         | 31       | 18       |                | F3934          | 34       | 2           |
| 11          | F3488         | 31       | 19       | 32             | DS57           | 34       | 2<br>3<br>5 |
|             | F3944         | 31       | 20       | 33             | F3436          | 34       | 5           |
| 12          | DS57          | 31       | 21       |                | F3961          | 34       | 6           |
| 13          | F8 <b>7</b> 9 | 31       | 22       | 34             | F343 <b>7</b>  | 34       | 6<br>7      |
| 14          | E470          | 31       | 24       |                | F3962          | 34       | 8           |
| 15          | F1369         | 31       | 25       | <b>135 1 1</b> | H745           | 34       | 9           |
| 16          | F879          | 31       | 27       | 36             | D\$ <b>5</b> 7 | 34       | 10          |
| 17          | F3483         | 31       | 28       | 37             | F3866          | 52       | 13          |
| 18          | D\$57         | 31       | 29       | SPA            | RES            |          |             |

### GROUP 12 - TOOLBOX, BATTERY CARRIER AND AIR CLEANER

REF. No. PART No.

DESCRIPTION

QUANTITY

#### REAR CHAINGUARD - GROUP II

#### Illustrated on Page 32-Fig. 9

|    |       |                                   |     |       |     |       | TIS | T20 |
|----|-------|-----------------------------------|-----|-------|-----|-------|-----|-----|
| 1  | F3431 | Chainguard, rear                  |     |       |     |       | 1   | -   |
| 2  | F3934 | Chainguard, rear                  |     | 224   |     | •••   | -   | 1   |
| 3  | DS57  | Bolt, chainguard to crankcase     |     | • • • |     |       | 1   | -1  |
| 4  | S26-2 | Washer, crankcase bolt            |     | •••   |     | •••   | 1   | 1   |
| 5  | F3436 | Screw, chainguard to mudguard     |     |       | ••• | •••   | 1   | _   |
| 6  | F3961 | Screw, chainguard to mudguard     |     |       |     |       | _   | 1   |
| 7  | F3437 | Distance piece, mudguard screw    | ••• |       | ••• | •••   | 1 . | _   |
| 8  | F3962 | Distance piece, mudguard screw    |     |       |     |       | _   | 1   |
| 9  | H745  | Nut, mudguard screw               | ••• | •••   |     | •••   | 1   | I   |
| 10 | DS57  | Bolt, chainguard to mudguard stay | ••• |       |     | • • • | 1   | ı   |
| 11 | E3203 | Grommet, stop/tail light lead     |     |       |     |       | 1   | ı   |

# TOOLBOX, BATTERY CARRIER AND AIR CLEANER **GROUP 12**

#### Illustrated on Page 35-Fig. 10

|    |        | V A  |                |        |    |    |
|----|--------|--|----------------|--------|----|----|
| 12 | F3491  | Toolbox, battery and air cleaner assembly casing | ***            | ***    | 1  | 1  |
| 13 | F3470  | Pad, battery, rubber moulded                     |                | ***    | 2  | 2  |
| 14 | F3418  | Container, air cleaner                           | •••            |        | 1  | 1  |
| 15 | H251   | Beading, air cleaner container, rubber           |                | 24.8.V | 1  | 1  |
| 16 | F3492  | Element, air cleaner                             | (4.8.4)        | ***    | 1  | 1  |
| 17 | F3656  | Stud, air cleaner to case                        | ***            |        | 1  | 1  |
| 18 | H745   | Nut, air cleaner to case                         | ***            |        | 1  | 1  |
| 19 | F3473  | Strap, battery case                              | ***            |        | 1  | 1  |
| 20 | F3472  | Hook-bolt, battery case strap and lid            | •••            |        | 1  | 1  |
| 21 | F879   | Nut, battery case hook bolt                      | •••            |        | 1  | 1  |
| 22 | F3493  | Lid, casing c/w knob                             |                |        | 1  | 1  |
| 23 | F3474  | Knob, casing lid                                 | •••            |        | 1  | 1  |
| 24 | F3475  | Circlip, casing lid knob                         |                | ***    | -1 | 1  |
| 25 | F3478  | Connector, air cleaner to carburetter            |                |        | 1  | 1  |
| 26 | E3203  | Grommet, oil tank vent                           |                |        | 1  | -1 |
| 27 | 199002 | Grommet, wiring harness PARES                    | 5 <b>4 6</b> 4 |        | 1  | 1  |
|    |        | 37   |                |        |    |    |






FIG. 10. TOOLBOX, BATTERY CARRIER AND AIR CLEANER.

### INDEX TO FIG. 10


| Illust. No. | Part No. | Page No. | Ref. No. | Illust. No. | Part No. | Page No. | Ref. No. |
|-------------|----------|----------|----------|-------------|----------|----------|----------|
|             | F3470    | 34       | 13       | 7           | F879     | 34       | 21       |
| 2           | F3418    | 34       | 14       | 8           | F3493    | 34       | 22       |
| 3           | F3492    | 34       | 16       | 9           | F3474    | 34       | 23       |
| 4           | F3656    | 34       | 17       | 10          | F3475    | 34       | 24       |
| 5           | F3473    | 34       | 19       | 11          | F3478    | 34       | 25       |
| 6           | F3472    | 34       | 20       | 12          | H745     | 34       | 18       |

### TOOLS - GROUP 13

Illustrated on page 36

| REF. No. | PART No. | DESCRIPTION  | QUANTITY |     |     |  |  |
|----------|----------|--|----------|-----|-----|--|--|
|          |          |  |          | TIS | T20 |  |  |
|          | D290     | Tool kit, complete   |          |     |     |  |  |
| 2        | D291     | Toolbag  |          | 1   | 1   |  |  |
| 3        | D299     | Spanner, open ended, $\frac{3}{8}'' \times \frac{7}{16}''$ Whit  |          | - 1 | 1   |  |  |
| 4        | D292     | Spanner, open ended, $\frac{1}{8}'' \times \frac{3}{16} \times \frac{1}{4}'' \times \frac{5}{16}''$ Whit |          | - 1 | 1   |  |  |
| 5        | D293     | Spanner, combination square $\times \frac{3}{16}'' \times \frac{5}{16}'' \times \frac{1}{2}''$ Whit.     |          | 1   | I   |  |  |
| 6        | D294     | Spanner, screwdriver and box, $\frac{1}{4}$ Whit   |          | 1   | Ī   |  |  |
| 7        | DA70     | Key, clutch adjusting  |          | 1   | 1   |  |  |
| 8        | NA14A    | Lever, tyre  |          | 1   | 1   |  |  |
| 9        | D335     | Screwdriver, Phillips No. 2  |          | 1   | 1   |  |  |
| 10       | D296     | Inflator, tyre (not included in D290)  | •••      | 1   | 1   |  |  |

UNUUI IJ - IUULJ








### PETROL AND OIL TANKS - GROUP 14

Illustrated on page 38

|    | PETF          | ROL TANK                           | 7  | Г15 | T20 |
|----|---------------|------------------------------------|----|-----|-----|
| 1  | F3505         | Tank, petrol, less fittings        |    | 1   | _   |
| 2  | F3963         | Tank, petrol, less fittings        |    | _   | 1   |
| 3  | F3220         | Cap, petrol tank                   |    | 1   | 1   |
| 4  | F3494         | Styling band, petrol tank, L.H     |    | 1   | -   |
| 5  | F4032         | Styling band, petrol tank, L.H     |    | -   | 1   |
| 6  | F3495         | Styling band, petrol tank, R.H     |    | 1   |     |
| 7  | F4033         | Styling band, petrol tank, R.H     |    | -   | ı   |
| 8  | F3496         | Name plate, petrol tank            | •  | 2   | 2   |
| 9  | F3497         | Screw, name plate and band to tank |    | 4   | 4   |
| 10 | F3 <b>498</b> | Bolt, petrol tank to frame         |    | 2   | 2   |
| 11 | SI-51         | Nut, petrol tank to frame bolt     |    | 2   | 2   |
| 12 | S25-3         | Washer, petrol tank to frame bolt  |    | 3   | 3   |
| 13 | F3098         | Clip, L.H. front bolt              | ×. | !   | ł   |
| 14 | F3506         | Tap, petrol tank                   |    | 1   | 1   |
| 15 | E697          | Washer, petrol tank tap joint      | 9  | 1   | ŀ   |
| 16 | F3499         | Pipe, petrol feed                  | o. | 1   | 1   |
| 17 | F1605         | Knee grip, petrol tank R.H         |    | I   | 1   |
| 18 | F1606         | Knee grip, petrol tank L.H         |    | 1   | 1   |
|    | OIL           | TANK                               |    |     |     |
| 19 | F3464         | Tank, oil, less fittings           |    | 1   | 1   |
| 20 | F3216         | Cap, oil tank                      |    | 1   | 1   |
| 21 | F3876         | Filter, oil tank                   |    | 1   | 1   |
| 22 | FISII         | Washer, oil tank filter joint      |    | 1   | 1   |
| 23 | F2596         | Bolt, oil tank to frame bottom     |    | 1   | 1   |
| 24 | F3477         | Distance piece, oil tank bottom    |    | 1   | 1   |

#### INDEX TO FIG. 12. PAGE 38.

| Part No. | Page No.  | Ref. No.  | Illust. No.   | Part No.   | Page No.  | Ref. No.   |
|----------|---|---|---|--|---|--|
| F3505    | 37  |   | 10  | F1605  | 37  | 17   |
| F3963    | 37  | 2   | 11  | F1606  | 37  | 18   |
| F3220    | 37  | 3   | 12  |  | 37  | 19   |
| F3494    | 37  | 4   | 13  |  | 37  | 20   |
| F4032    | 37  | 5   | 14  | F3876  | 37  | 21   |
| F3495    | 37  | 6   | 15  | F1511  | 37  | 22   |
| F4033    | 37  | 7   | 16  | E3270  | 39  | 5  |
| F3496    | 37  | 8   | 1700  | F3503  | 39  | 6  |
| F3497    | 37  | 9   | 18  | <b>F3</b> 504  | 39  | 7  |
| F3506    | 37  | 14  | 16 19 1   | F3077  | 39  | 8  |
| E697     |   | _ 1.5   | 20  | _E3244   | 8   | 33   |
| F3499    | 37  | BICKE   | SPAR  | E <b>3</b> 383   | 9   | 3  |
|          | F3963<br>F3220<br>F3494<br>F4032<br>F3495<br>F4033<br>F3496<br>F3497<br>F3506<br>E697 | F3963 37<br>F3220 37<br>F3494 37<br>F4032 37<br>F3495 37<br>F4033 37<br>F3496 37<br>F3497 37<br>F3506 37<br>E697 37 | F3963 37 2 F3220 37 3 F3494 37 4 F4032 37 5 F3495 37 F4033 37 F3496 37 F3497 37 F3506 37 F3506 37 F3499 37 F3499 37 F3499 | F3963 37 2 II F3220 37 3 I2 F3494 37 4 I3 F4032 37 5 I4 F3495 37 6 I5 F4033 37 F3496 37 F3497 37 9 F3506 37 F35 | F3963 37 2 II F1606 F3220 37 3 I2 F3464 F3494 37 4 I3 F3216 F4032 37 5 I4 F3876 F3495 37 6 I5 F1511 F4033 37 7 8 I5 F3503 F3496 37 8 9 F3504 F3506 37 9 F3506 F3497 37 8 F3504 F3499 37 B16 E S21 A R F3383 | F3963 37 2 II F1606 37 F3220 37 3 I2 F3464 37 F3494 37 4 I3 F3216 37 F4032 37 5 I4 F3876 37 F3495 37 6 I5 F1511 37 F4033 37 7 8 I6 E3270 39 F3496 37 8 F3506 37 F3497 37 8 F3506 37 F3499 37 B16 E S21 A R E3383 9 |





### FOOTRESTS - GROUP 15

2

2 2

2

2

2

2

2

| REF. No. | PART No. | DESCRIPTIO                             | QUANTITY |     |     |     |     |     |
|----------|----------|--|----------|-----|-----|-----|-----|-----|
|          | No.      |  |          |     |     |     | T!5 | T20 |
| 1        | S1-51    | Nut, oil tank bolt                     |          | ••• | ••• | *** | 2   | 2   |
| 2        | F3468    | Bolt, oil tank to frame top            |          | ••• |     |     | 1   | 1   |
| 3        | F3476    | Distance piece, oil tank top           |          |     | ••• |     | 2   | 2   |
| 4        | S25-3    | Washer, oil tank top bolt              |          | ••• |     |     | 1   | 1   |
| 5        | E3270    | Pipes, oil tank to engine              | ••       |     |     |     | ł   | 1   |
| 6        | F3503    | Pipe, oil tank feed, top half          |          |     |     |     | 1   | -   |
| 7        | F3504    | Nut, oil tank feed, top half union     |          |     |     |     | 1   | -   |
| 8        | F3077    | Connection, oil tank feed and return p | pipes    | ••• |     | 20. | 2   | 2   |
| 9        | E3274    | Washer, oil pipe junction block joint  | •        | ••• | ••• |     | 1   | I   |
| 10       | F879     | Nut, junction block to crankcase       |          |     | ••• |     | 1   | -   |
| 11       | S25-13   | Washer, junction block to crankcase n  | ut       |     |     | ••• | 1   | Ĺ   |
| 12       | A3       | Transfer (minimum oil level)           | ••       |     |     | *** | I   | - [ |

### **FOOTRESTS — GROUP 15**

Illustrated on Page 20—Fig. 4

### PIDED'S ECOTPEST

24

25

26

27

F2268

F3515

S26-1

P0172A

|    | L,    | IDEK 3 FOOTKEST                   |     |     |     |      |   |     |
|----|-------|-----------------------------------|-----|-----|-----|------|---|-----|
| 13 | F3449 | Footrest L.H                      |     |     | ••• | **** | t | Ĩ   |
| 14 | F3450 | Footrest R.H                      |     |     | ••• |      | 1 | Ī   |
| 15 | F1695 | Rubber                            |     |     |     |      | 2 | 2   |
| 16 | F3448 | Rod, footrest hanger              | ••• |     | ••• |      | 1 | - 1 |
| 17 | H193  | Nut, footrest hanger rod          | ••• | ••• | ••• | ***  | 2 | 2   |
|    | P     | ILLION FOOTREST                   |     |     |     |      |   |     |
| 18 | F3514 |                                   |     |     |     |      | 2 | 2   |
|    |       | Footrest, pillion complete        | ••• | ••• | ••• | •••  |   |     |
| 19 | F1694 | Pedal, footrest                   | ••• | ••• | ••• | •••  | 2 | 2   |
| 20 | F1695 | Rubber, footrest pedal            | ••• | ••• |     |      | 2 | 2   |
| 21 | F2271 | Bolt, footrest pedal pivot        |     | ••• |     |      | 2 | 2   |
| 22 | SI-51 | Nut, footrest pedal pivot bolt    |     | ••• |     |      | 2 | 2   |
| 23 | F2277 | Washer, footrest pedal pivot bolt |     |     |     |      | 2 | 2   |

Hanger, footrest pedal ...

Nut, footrest pedal stud

Washer, footrest pedal stud ...

Stud, footrest pedal

# GROUP 16 - KEAR BRAKE PEDAL GROUP 17 - HANDLEBAR

| REF. No. | PART No.                                | DESCRIPT                             |         | Q        | UAN:           | ΓΙΤΥ  |     |            |
|----------|---|--------------------------------------|---------|----------|----------------|-------|-----|------------|
|          | RE                                      | AR BRAKE PEDAL — GR                  | ROUI    | P 16     |                |       |     |            |
|          |   | Illustrated on Page 20—Fig. 4        |         | 301      |                |       | T15 | T20        |
| f.       | F3456                                   | Pedal, rear brake                    |         |          | ***            | •••   | 1   | 1          |
| 2        | F3459                                   | Spindle, rear brake pedal            |         |          |                | •••   | i   |            |
| 3        | F3933                                   | Spindle, rear brake pedal            |         |          |                |       | _   | 1          |
| 4        | SI-5I                                   | Nut, brake pedal spindle to frame    |         |          |                | •••   | 1   | i          |
| 5        | S26-3                                   | Washer, brake pedal spindle to fran  |         |          |                |       | i   | i          |
| 6        | T224                                    | Nut, brake pedal to spindle          |         |          |                |       | - 1 | i          |
| 7        | S25-3                                   | Washer, brake pedal to spindle       |         |          |                |       | 1   | i          |
| 8        | F3460                                   | Rod, rear brake operating            |         | •••      |                |       | i   | i          |
| 9        | F3461                                   | Washer, rear brake rod to pedal      |         | •••      | •••            |       | i   | i          |
| 10       | F3594                                   | Washer, rear brake rod to pedal (for |         |          |                |       | i   | i          |
| 11       | $\frac{1}{16}$ " $\times \frac{1}{2}$ " | Split-pin, rear brake rod to pedal   | or scop | iamp)    |                |       | i   | i          |
| 12       | F3463                                   | Adiuston man busin mad               | ***     | •••      | •••            |       | i   | 1          |
| 12       | 1 3 103                                 | Adjuster, rear brake rod             | •••     |          | •••            | •••   |     |            |
|          |   | HANDLEBAR - GROU                     | P 17    | •        |                |       |     |            |
|          |   | Illustrated on Page 41—Fig. 13       |         |          |                |       |     |            |
|          | ЫA                                      | NDLEBAR                              | ,       |          |                |       |     |            |
| 13       | H866                                    | Handlebar c/w control levers and to  | wistori | <b>n</b> |                |       | 1   | _          |
| 14       | 70/510                                  | Handlebar c/w control levers and to  | _       | •        | ***            |       | 040 | 1          |
| 15       | H867                                    | Handlebar bend only                  | •       | 4        | ***            |       | 1   |            |
| 16       | 91/314                                  | Handlebar bend only                  |         | ***      | •••            | ***   | 924 | 1          |
| 17       | H88I                                    | Grommet, handlebar to nacelle        | ***     | ***      | ***            |       | 2   | 2          |
| 18       | H864                                    | Support, handlebar to top lug        | •••     | •••      | •••            | ***   | 2   | 2          |
| 19       | H865                                    | 'U' bolt, handlebar to top lug       | ***     | •••      | •••            | ***   | 2   | 2          |
| 20       | F879                                    | Nive handlahan ta tan lug            | •••     | • • •    | •••            | ***   | 4   | 4          |
| 21       | S25-13                                  | Washer, handlebar to top lug         |         | •••      | •••            | ***   | 4   | 4          |
| 22       | H885                                    | Cuin handlahan muhhan                | •••     | • • •    | •••            | •••   | 1   | 7          |
| 23       | 16/069CE                                | Cris handlahan nubban                | •••     | •••      | •••            | ***   | 562 | 7          |
| 23       | 16/06/02                                | Grip, nandiebar rubber               | •••     | •••      | •••            | •••   | -   | ,          |
|          | СО                                      | NTROL LEVERS                         |         |          |                |       |     |            |
| 24       | H879 LH.                                | Lever, clutch control                |         |          | ***            |       | 1   | -          |
| 25       | 70/009 LH.                              | Lever, clutch control                | ***     |          |                | •••   | -   | 1          |
| 26       | H879 RH.                                | Lever, front brake control           | ***     |          | ***            | •••   | 1   | -          |
| 27       | 70/009 RH.                              | Lever, front brake control           |         |          | ***            | •••   | -   | 1          |
| 28       | H880                                    | Screw, lever to bracket              |         |          | •••            | ***   | 2   | ( <b>-</b> |
| 29       | 100/006                                 | Screw, lever to bracket              |         |          |                | • • • | -   | 2          |
| 30       | F879                                    | Nut, lever to bracket screw          | ***     |          | •••            | ***   | 2   | -          |
| 31       | 18/717                                  | Nut, lever to bracket screw          |         | · · ·    | \ <b>*</b> *** |       | i — | 2          |
| 32       | S26-2                                   | Washer, lever to bracket nut         |         |          | *(*(*)         | ***   | 2   | _          |
| 33       | 70/016                                  | Washer, lever to bracket nut         |         |          |                | ***   | -   | 2          |
| 34       | 70/005                                  | Stop, clutch and brake cable         |         |          |                |       | _   | 2          |






FIG. 13. HANDLEBAR AND COMPONENTS.

### INDEX TO FIG. 13.

| Illust. No. | Part No.            | Page No.   | Ref. No.   | Illust. No. | Part No.        | Page No.       | Ref. No. |
|-------------|---------------------|------------|------------|-------------|-----------------|----------------|----------|
| . 1         | H867                | 40         | 15         | 10          | 16/010          | 42             | П        |
|             | 91/314              | 40         | 16         | 11          | 306/001         | 42             | 4        |
| 2           | H885                | 40         | 22         | 12          | 306,003         | <del>4</del> 2 | 6        |
| _           | 16/069CE            | 40         | 23         | 13          | 306/007         | <del>4</del> 2 | 18       |
| 3           | *H879               | 40         | 24/6       | 14          | 16/Ó <b>7</b> 0 | 42             | 20       |
|             | *70/009             | 40         | 25′/7      | 15          | H905            | 42             | 3        |
| 4           | H880                | 40         | <b>2</b> 8 | 16          | H910            | 42             | 14       |
|             | 100/006             | 40         | 29         | 17          | H909            | 42             | 12       |
| 5           | F879                | 40         | 30         | 18          | H912            | 42             | 16       |
|             | 18/717              | 40         | 31         | 19          | H913            | 42             | 17       |
| 6           | S26-2               | <b>4</b> 0 | 32         | 20          | H911            | 42             | 15       |
|             | 70/016              | <b>4</b> 0 | 33         | 21          | H884            | 42             | 19       |
| 7           | H886                | 48         | 29         | 22          | H906            | 42             | 5        |
| 7<br>8<br>9 | 306/00 <del>4</del> | 42         | 8          | 23          | 70/005          | 40             | 34       |
| 9           | 306/010             | 42         | 13         | CLH5        | SIC             |                |          |
|             |                     |            | * State L. | H. OF R.H.  | RES             |                |          |

| The state of |
|--------------|
| 1            |
|              |

REF. No. PART No. DESCRIPTION QUANTITY T15 T20 **TWISTGRIP** 1 H883 Twistgrip complete ı 2 306/1 Twistgrip complete 3 H905 Body, twistgrip ... 1 4 Body, twistgrip ... 306/001 ... Grub screw, body fixing 5 H905 3 6 Grub screw, body fixing 3 306/003 7 H907 Spring, body to rotor tension ... 1 8 306/004 Spring, body to rotor tension ... 9 H903 Rivet, body to rotor tension spring 1 10 306/005 Screw, tension spring ... 11 16/010 Locknut, tension spring screw 12 H909 Rotor sleeve, twistgrip ... 13 Rotor sleeve, twistgrip ... 306/010 ... 14 H910 Clip, twistgrip body 1 15 Screw, twistgrip body clip H911 16 H912 Adjuster, throttle cable... 17 H913 Locknut, throttle cable adjusting ... 1 18 306/007 Cable stop, twistgrip 19 H884 Grip, twistgrip rubber -20 16/070 Grip, twistgrip rubber ... 1 **CONTROL CABLES — GROUP 18** FRONT BRAKE CABLE 21 Cable assembly, front brake D323 22 D323C Casing, front brake cable 23 D323W Wire, front brake cable 1 24 2 2 D103 Ferrule, front brake cable casing 25 Nipple, front brake cable wire (Handlebar end) 1 ı 18/107 26 Nipple, front brake cable wire (Brake end) ... **DS.73** 27 D279 Adjuster, front brake cable 28 F879 Nut, front brake cable adjuster 29 D280 Clevis, front brake cable wire ... 30 D281 Pin, front brake cable clevis ... Split-pin, clevis pin 31  $\frac{1}{16} \times \frac{1}{2}''$ THROTTLE CABLE 32 Cable assembly, throttle D315 Cable assembly, throttle 33 D316 Casing, throttle cable 34 D315C 35 Casing, throttle cable D316C

# HANDLEBAR (U.S.A. ONLY) - GROUP 19

| REF. No. | PART No. | DESCRIPTION  | Q      | QUANTITY |     |     |  |
|----------|----------|--|--------|----------|-----|-----|--|
|          |          |  |        |          | TIS | T20 |  |
| 1        | D315W    | The state of the s | •••    | •••      | ı   | -   |  |
| 2        | D316W    |  |        | •••      | -   | ı   |  |
| 3        | 12/083   |  |        |          | 2   | 2   |  |
| 4        | 306/008  | ( 0 1)   | •••    | ***      | 1   | -   |  |
| 5        | D285     | Nipple, throttle wire (Twistgrip)  | •••    | ***      | -   | 1   |  |
| 6        | 1482/050 | Nipple, throttle wire (Carburetter)  |        | • • •    | 1   | I   |  |
|          | GE       | AR INDICATOR CABLE   |        |          |     |     |  |
| 7        | D282     | Cable assembly, gear indicator   |        | •••      | 1   | 1   |  |
| 8        | D282C    | Casing, gear indicator cable   |        | •••      | - 1 | 1   |  |
| 9        | D282W    | Wire, gear indicator cable   |        | ***      | T   | 1   |  |
| 10       | 12/083   |  |        | ***      | 2   | 2   |  |
| 11:      | D285     | Nipple, gear indicator cable (Engine end) .  |        | • • •    | 1   | 1   |  |
| 12       | 18/115   | Nipple, gear indicator casing (Indicator end)  | ***    |          | 2   | 2   |  |
| 13       | E3280    | Abutment, gear indicator cable c/case  |        |          | 1   | 1   |  |
| 14       | H1019    | Spring, gear indicator cable   |        |          | 1   | 1   |  |
| 15       | D284     | Adiustan gaan indiastan ashla  |        |          | 1   | 1   |  |
| 16       | H745     | Lockbut good indicator cable adjuster  |        | •••      | 1   | 1   |  |
|          | CI       | UTCH CABLE   |        |          |     |     |  |
| 17       | D331     | Cable assembly slutch  |        |          | T   | 1   |  |
| 18       | D331C    | Casta a aliceate actifu  |        | •••      | Ť   | ì   |  |
| 19       | D331W    | \A/:no almost achla  |        |          | i   | i   |  |
| 20       | D103     | Commule almost soble socies  |        |          | 2   | 2   |  |
| 21       | 18/706   | Nissla dusah wina (Handlahan and)  |        | •••      | ī   | 1   |  |
| 22       | D334     | Nipple dutch coble (Clutch and)  | ••     | (0,00    | i   | î   |  |
| 23       | D319     | Adjuster, clutch cable   | •• ••• | •••      | i   | i   |  |
| 23<br>24 | D268     | Ladrana almada askla   |        | 307      | 1   | 1   |  |
| 25       | D288     | AL.,   |        | •••      | 1   | ;   |  |
| 26<br>26 | D333     | Abusenes dusch ashla (Clusch and)  | •••    | • • •    | i   | ì   |  |
| 20       | D333     | Abdititetic, cratch cable (Cratch end)   |        | 1,000    |     | į   |  |
| ž:       | HAN      | OLEBAR (U.S.A. ONLY) - GRO   | OUP 19 | <b>?</b> |     |     |  |
|          | н        | ANDLEBAR   |        |          |     |     |  |
| 27       | H933     | Handlebar c/w control lever and Twistgrip.   |        |          | 1   | 11  |  |
| 28       | H934     | Handlebar bend only  |        | •••      | i   | i   |  |
| 29       | 16/069   | 6  |        | •••      | i   | i   |  |
|          |          |  |        | •••      |     | 1   |  |
| 20       |          | ONTROL LEVERS  |        |          | ř   |     |  |
| 30       | 18/557   |  | ***    | ***      | 1   |     |  |
| 31       | 18/556   | Lever assembly, front brake control  |        | ***      | 1   | 1   |  |
| 32       | 18/528   | Lever only, clutch and brake   |        | •••      | 2   | 2   |  |
| 33       | 18/234   | Bracket, lever fulcrum D. D. D. F. C.  | ••     |          | 2   | 2   |  |

43

# GROUP 20 - CONTROL CABLE (U.S.A. ONLY)

| REF. No. | PART No. | DESCRIPTION                  |     |     |     |     |     | QUANTITY |     |  |  |  |
|----------|----------|------------------------------|-----|-----|-----|-----|-----|----------|-----|--|--|--|
|          |          |                              |     |     |     |     |     | T15      | T20 |  |  |  |
| 1        | 12/040   | Clamp, lever bracket         |     | ••• | ••• |     | ••• | 2        | 2   |  |  |  |
| 2        | 11/014   | Screw, lever bracket to clan | np  |     | *** |     |     | 4        | 4   |  |  |  |
| 3        | 18/087   | Screw, lever fulcrum pin     |     |     | ••• |     | ••• | 2        | 2   |  |  |  |
| 4        | 18/053   | Nut, lever fulcrum pin       | ••• | ••• | ••• | ••• | ••• | 2        | 2   |  |  |  |

#### TWISTGRIP

(As listed for T20)

# CONTROL CABLE (U.S.A. ONLY) - GROUP 20

|    | FR            | ONT BRAKE CABLE                |        |     |     |     |      |    |   |
|----|---------------|--------------------------------|--------|-----|-----|-----|------|----|---|
| 5  | D321          | Cable assembly, front brake    |        |     |     |     |      | 1  | i |
| 6  | D321C         | Casing, front brake cable      | •••    | ••• |     |     |      | 1  | 1 |
| 7  | D321W         | Wire, front brake cable        | •••    |     |     |     |      | 1  | 1 |
| 8  | D103          | Ferrule, front brake casing    |        |     |     | ••• |      | 2  | 2 |
| 9  | D81           | Nipple, front brake wire (Har  | ndleba | r)  |     |     |      | L  | 1 |
| 10 | DS73          | Nipple, front brake wire (Cle  | vis)   |     |     |     |      | 1  | 1 |
| 11 | D279          | Adjuster, front brake cable    |        |     |     |     |      | 1  | 1 |
| 12 | F879          | Locknut, front brake cable ad  | juster |     |     |     | ***  | 1  | 1 |
| 13 | D280          | Clevis, front brake cable      | •••    | ••• | ••• | ••• |      | 1  | 1 |
|    | TH            | IROTTLE CABLE                  |        |     |     |     |      |    |   |
| 14 | D317          | Cable assembly, throttle       |        |     |     |     | -0.3 | 1  | ĭ |
| 15 | D317C         | Casing, throttle cable         |        |     |     | *** |      | Ť  | Ť |
| 16 | D317W         | Wire, throttle cable           |        |     | *** |     |      | i  | 1 |
| 17 | 12/083        | Ferrule, throttle cable casing |        |     |     |     |      | 2  | 2 |
| 18 | D <b>2</b> 85 | Nipple, throttle wire (Twistg  |        |     |     | *** |      | Ī  | Ī |
| 19 | 1482/050      | Nipple, throttle wire (Carbu   |        |     |     | ••• | •••  | 1  | 1 |
|    | CL            | UTCH CABLE                     |        |     | 54  |     |      |    | * |
| 20 | D332          | Cable assembly, clutch         |        |     | 101 | *** |      | 1  | 1 |
| 21 | D332C         | Casing, clutch cable           |        |     |     |     |      | Ť  | 1 |
| 22 | D332W         | Wire, clutch cable             |        |     |     |     |      | i. | 1 |
| 23 | D103          | Ferrule, clutch cable casing   |        |     |     |     |      | 2  | 2 |
| 24 | D81           | Nipple, clutch wire (Handleb   |        |     |     |     |      | 1  | ī |
| 25 | D334          | Nipple, clutch wire (Gearbox   |        | *** |     |     |      | 1  | ī |
| 26 | D288          | Abutment, clutch cable handl   |        |     |     |     |      | i. | 1 |
| 27 | D319          | Adjuster, clutch cable         |        |     |     |     |      | I  | 1 |
| 28 | D268          | Locknut, clutch cable adjuste  |        |     |     |     |      | 1  | 1 |
| 29 | D333          | Abutment, at clutch end        |        | ES  |     |     |      | İ  | 1 |

### NACELLE GEAR INDICATOR - GROUP 21

PART No. REF. No.

DESCRIPTION

QUANTITY

### NACELLE GEAR INDICATOR - GROUP 21

|   | N     | IACELLE GEAR INDICA      | ATO  | R      |     |     |     |     | T15 | T20 |
|---|-------|--------------------------|------|--------|-----|-----|-----|-----|-----|-----|
| E | H1020 | Rack and pinion assemb   | ly   | •••    |     | ••• |     | ••• | -   | 1   |
| 2 | H689  | Screw, rack and pinion   | to n | acelle |     |     |     |     | 2   | 2   |
| 3 | H937  | Spindle assembly         |      |        | ••• |     |     | ••• | 1   | 1   |
| 4 | H939  | Finger, indicator        |      | •••    | ••• | ••• | ••• | ••• | 1   | 1   |
| 5 | H688  | Screw, finger to spindle | 2    |        |     |     |     |     | l   | 1   |
| 6 | H904  | Plate, gear indicator    |      |        |     |     |     |     | 1   | -   |
| 7 | H921  | Plate, gear indicator    |      | ***    |     |     |     |     | _   | 1   |

#### PROPRIETARY FITTINGS

Ancillary equipment which is fitted to our motor cycles is of the highest quality and is guaranteed by the manufacturers and not by ourselves. Any repairs or claims should be sent to the actual maker, or one of their accredited agents who will always give owners every possible assistance. The following are the addresses of the various manufacturers.

CARBURETTERS ... ... Messrs. Amal Ltd.,
Holdford Road, Witton,
Birmingham, 6.

CHAINS ... ... ... The Renold and Coventry Chain Co. Ltd., Didsbury, Manchester.

ELECTRICAL EQUIPMENT ... Messrs. J. Lucas, Ltd.,
Great Hampton Street,
Birmingham, 18.

HORN ... ... ... Messrs. Clear Hooters Ltd.,
Hampton Street,
Birmingham, 19.

SPARKING PLUGS ... ... Champion Sparking Plugs Ltd., Feltham, Middlesex.

K.L.G. Sparking Plugs Ltd., Cricklewood Works, London, N.W.2.

Lodge Plugs Ltd., Rugby, Warwickshire.

**SPEEDOMETERS** 

Messrs. Smiths Motor Accessories Ltd., Cricklewood Works, London, N.W.2.

DESCRIPTION

REF. No. PART No.

QUANTITY

|            | <b>LUCAS</b>   | ELECTRICAL EQUIPMENT — GROUP 22            |         |   |
|------------|----------------|--|---------|---|
|            |                | ALTERNATOR (RMI3)                          | T15 T20 | ) |
| 1          | 047518         | Alternator assembly                        | 1 1     |   |
| 2          | 47119A         | Stator, complete                           | 1 1     |   |
| 3          | 465904         | Rotor                                      | 1 1     |   |
| 4          | E3475          | Grommet, alternator cable                  | 1 1     |   |
| 5          | E3204          | Screw, alternator stator to cover          | 5 5     |   |
| 6          | E1612          | Washer, alternator stator to cover screw   | 5 5     |   |
| 7          | E1580          | Key, rotor to mainshaft                    | 1 1     |   |
| 8          | 465909         | Nut, rotor to mainshaft                    | 1 1     |   |
| 9          | 465910         | Washer, rotor to mainshaft                 | 1 1     |   |
|            |                | RECTIFIER (FSW 1500A)                      |         |   |
| 10         | 47111A         | Rectifier                                  | 1 1     |   |
| 11         | F3527          | Bracket, rectifier mounting                | 1 1     |   |
| 12         | F929           | Bolt, bracket to seat lug (front)          | 1 1     |   |
| 13         | S25-3          | Washer, bracket to seat lug (front)        | 1 1     |   |
| 14         | DS57           | Bolt, bracket to top bridge seat stays     | 1 1     |   |
| 15         | F879           | Nut, bracket to top bridge seat stays      | 1 1     |   |
| 16         | E1612          | Washer, bracket to top bridge seat stays   | 1 1     |   |
| 17         | F3600          | Nut, rectifier to bracket                  | 1 1     |   |
|            |                | IGNITION COIL (CQ6)                        |         |   |
| 18         | 45036A         | Coil                                       | 1 1     |   |
| 19         | DS57           | Bolt, coil to mudguard                     | 2 -     |   |
| 20         | E1612          | Washer, coil to mudguard bolt              | 2 -     |   |
| 21         | F8 <b>7</b> 9  | Nut, coil to mudguard bolt                 | 2 -     |   |
| 22         | F3687          | Backing strip, coil to mudguard            | 1 -     |   |
| 23         | 414965         | Sleeve, H.T. cable                         | 1 -     |   |
| 24         | 236741         | Sleeve, L.T. cable                         | 2 -     |   |
|            |                | DISTRIBUTOR (I5DI)                         |         |   |
| 25         | 40529          | Distributor                                | 1 1     |   |
| 26         | 406105         | Clamping plate assembly                    | 1 1     |   |
| 27         | 421106         | Contact set                                | 1 1     |   |
| 28         | 421327         | Condenser                                  | 1 1     |   |
| 29         | 421206         | Cam  | 1 1     |   |
| 30         | 421415         | Spring, auto advance                       | 1 1     |   |
| 31         | 421407S        | Weights assembly                           | 1 1     |   |
| 32         | 421054         | Shaft and action plate                     | 1 1     |   |
| 33         | 419645         | Sundry parts set                           | 1 1     |   |
| 34         | D\$57          | Bolt, lever to crankcase                   | 1 1     |   |
| 35         | <b>S2</b> 5-13 | Washer, lever to crankcase bolt            | 1 1     |   |
| 36         | E3309          | Sealing ring, distributor L. I. J. J. J. J | 1       |   |
| 3 <b>7</b> | <b>40</b> 8200 | BATTERY (PUSE) DES                         | 1 = 1   |   |

# GROUP 22 - LUCAS ELECTRICAL EQUIPMENT

| REF. No. | PART No.            |                       | D         | ESCRIP      | TION        |        |        | Q    | UANT | TITY |
|----------|---------------------|-----------------------|-----------|-------------|-------------|--------|--------|------|------|------|
|          |                     | HEADLA                | MP (M     | CF 57       | <b>(5</b> ) |        |        |      | TIS  | T20  |
| 1        | 51519A              | Headlamp assembly     | •••       | •••         | ***         | ***    | ***    | •••  | 1    | 1    |
| 2        | 516723              | Rim, headlamp         |           |             |             |        | •••    |      | 1    | 1    |
| 3        | 500291              | Wire, light unit fixi | ng        | •••         | ***         |        |        |      | 4    | 4    |
| 4        | 516728              | Light unit            | ***       |             |             | •••    |        |      | 1    | 1    |
| 5        | 554946              | Adaptor assembly      | 1000      | 1444        |             |        |        |      | 1    | 1    |
| 6        | 554710              | Bulbholder, pilot     | 1603      |             | ***         |        | 244    |      | I    | 1    |
| 7        | 553780              | Interior, pilot       |           |             | ***         |        |        |      | 1    | -1   |
| 8        | 312                 | Bulb, main            | ***       | •••         |             |        |        |      | 1    | 1    |
| 9        | 988                 | Bulb, pilot           |           |             |             |        |        |      | 1    | 1    |
| 10       | H876                | Adjuster screw, hea   | ıdlamp    |             |             |        |        |      | 1    | 1    |
| 11       | H745                | Locknut, adjuster so  | crew      |             |             |        |        |      | 1    | 1    |
| 12       | H875                | Spring, adjuster scr  | ew        | •••         | •••         | •••    |        | •••  | 1    | 1    |
|          | LI                  | GHTING AND IGN        | NITION    | SWI         | тсн         | (P.R.S | 5. 8)  |      |      |      |
| 13       | 31443               | Switch                |           |             |             |        |        |      | - 1  | 1    |
| 14       | 318341              | Key, ignition         | •••       | ***         |             | ***    | 275    | ***  | 1    | 1    |
|          | DI                  | PPER SWITCH           | 0         |             |             |        | a<br>a |      |      |      |
| 15       | 380521              | Switch, dipper        |           |             |             | • • •  |        |      | -1   | I    |
|          |                     |                       |           |             |             |        |        |      |      |      |
|          |                     | AIL LAMP (529)        |           |             |             |        |        |      |      |      |
| 16       | 53256A              | Lamp, tail            | 444       | •••         | ***         | •••    | ***.   | •••  | 1    | - 1  |
| 17       | 526404              | Lens                  | •••       | •••         | • • •       | •••    |        |      | i    | 1    |
| 18       | 526406              | Window, number p      | olate     | •••         |             |        | •••    |      | 1    | ı    |
| 19       | 133551              | Screw, fixing lens    | ***       |             |             |        | •••    |      | 2    | 2    |
| 20       | 161385              | Grommet, screw        | ,         | • • •       |             | •••    | •••    |      | 2    | 2    |
| 21       | 554719              | Bulb holder           |           | •••         | • • •       |        | •••    |      | Ţ    | 1    |
| 22       | 526 <del>4</del> 08 | Base, rubber          |           |             |             | •••    | •••    |      | 1    | 1    |
| 23       | 951                 | Bulb                  |           | •••         |             |        | •••    | 64.5 | - 1  | 1    |
| 24       | 526410              | Screw, lamp to nun    | nber plat | e           | •••         |        |        |      | 3    | 3    |
| 25       | 166103              | Nut, lamp to numb     | er plate  |             |             |        | •••    |      | 3    | 3    |
| 26       | 188366              | Washer, lamp to nu    | ımber pl  | ate         | •••         |        | ***    | •••  | 3    | 3    |
|          | W                   | IRING HARNESS         |           |             |             |        | 98     |      |      |      |
| 27       | 838121              | Harness Wiring        |           | •••         | ***         | ***    | 70.04  | •••  | 1    | 1    |
|          | н                   | ORN (CLEAR HO         | OTER)     | חמו         | CI          | r      |        |      |      |      |
| 28       | D300                | Horn                  | بالإ      | ١Щ٠         | اليا        | J      |        |      | 1    | 1    |
| 29       | H886                | Button, horn (No.     | 15)       | DO          | D.E         |        |        |      | i    | 1    |
| 30       | D314                | Bracket, horn         | 1         | <b>L</b> iH | KE,         |        | ***    | ***  | 1    | i    |




**DESCRIPTION** 

REF. No. PART No.

QUANTITY

|    |         | AMAL CARBURETTER              | — G        | ROU          | P 2     | 3            |         |     |     |
|----|---------|-------------------------------|------------|--------------|---------|--------------|---------|-----|-----|
|    |         | Illustrated on page           |            | -            |         |              |         |     |     |
|    |         | CARBURETTER                   |            |              |         |              |         | T15 | T20 |
| 1  | 332/2   | Carburetter, complete         | 1/8/8/14/1 | ***          |         | 9404.4       |         | 1   | -   |
| 2  | 332/3   | Carburetter, complete         | ***        | ***          |         | ***          |         | -   | 1   |
|    | ·       | MIXING CHAMBER                |            |              |         |              |         |     |     |
| 3  | 332/023 | Body, mixing chamber          | •••        | ***          | ***     | ***          |         | 1   | -   |
| 4  | 332/001 | Body, mixing chamber          | ***        | •••          | ***     | ***          |         | _   | 1   |
| 5  | 332/012 | Cap, mixing chamber           |            | •••          | •••     | •••          |         | 1   | 1   |
| 6  | 332/013 | Spring, mixing chamber cap    | ***        | ***          | ***     |              |         | i   | 1   |
| 7  | 332/014 | Screw, mixing chamber cap sp  | oring a    | and thro     | ottle l | ocating      | ***     | 1   | I   |
| 8  | 332/011 | Top, mixing chamber           |            | (* * * *     | ***     | ***          |         | 1   | 1   |
| 9  | 52/068  | Adjuster, throttle cable      |            | ***          | •••     | ***          |         | 1   | 1   |
| 10 | 332/005 | Valve, throttle               |            | ***          |         | ***          |         | 1   | 1   |
| 11 | 332/021 | Spring, throttle valve        |            | ***          | ***     | ***          | *.*.*   | 1   | 1   |
| 12 | 332/018 | Screw, throttle adjusting     |            | ***          |         |              | 0.000   | 1   | 1   |
| 13 | 332/020 | Nut, throttle adjusting screw |            | ***          |         |              |         | l   | 1   |
| 14 | 332/017 | Screw, air adjusting          | •••        |              |         |              |         | 1   | 1   |
| 15 | 4/148   | Spring, air adjusting screw   |            | •••          |         |              |         | 1   | 1   |
| 16 | 332/002 | Jet for needle                |            | •••          | •••     | •••          | •••     | 1   | 1   |
| 17 | 332/003 | Needle for jet                |            | •••          |         |              |         | 1   | i   |
| 18 | 332/004 | Clip, jet needle              |            |              |         |              |         | î   | 1   |
| 19 | 4/042   | Jet, main (size 90)           |            | •••          |         |              |         | i   | _   |
| 20 | 4/042   | Jet, main (size 100)          | •••        | •••          | •••     | ***          |         | _   | 1   |
| 21 | 376/076 | Jet, pilot (size 20)          |            |              |         |              |         | 1   | i   |
| 22 | 332/026 | Nut, pilot jet cover          | •••        | ***          |         | ***          | •••     | i   | i   |
| 23 | 116/162 | Washer, cover nut             |            | •••          |         |              |         | Î   | i   |
| 24 | 333/016 | Screw, mixing chamber plug    |            | 1784 400-00  |         |              | •••     | i   | i   |
| 25 | 14/189  | Washer, plug screw            |            |              |         |              |         | i   | i   |
| 26 | 4/043   | Bolt, holding                 | ***        | •••          |         |              | 0.00000 | i   | i   |
| 27 | 4/053   | Washer, holding bolt          |            |              | •••     | ***          | •••     | i   | i   |
|    | •       | ū                             | ***        | ***          |         | •••          | • • •   | •   | •   |
| •  |         | FLOAT CHAMBER                 |            |              |         |              |         |     |     |
| 28 | 3EB     | Float chamber complete        | *.*.*      | •••          | •••     |              |         | I   | 1   |
| 29 | 62/214  | Body, float chamber           |            | •••          |         | ***          |         | 1   | 1   |
| 30 | 62/212  | Cover, float chamber complet  | e          | ***          | •••     |              |         | 1   | 1   |
| 31 | 62/204  | Screws, float chamber cover   |            | ***          |         |              | •••     | 2   | 2   |
| 32 | 22/016  | Float                         | ***        | ***          | ***     | •••          | • • •   | 1   | 1   |
| 33 | 22/013  | Needle, float                 | ***        | ***          | ***     | ***          |         | ı   | 1   |
| 34 | 62/207  | Tickler                       | 7.0        | CHO          | ***     | ***          |         | 1   | 1   |
| 35 | 352/208 | Spring, tickler               | 200        | <b>3.11.</b> |         | ***          |         | 1   | 1   |
| 36 | 352/207 | Screw, tickler spring fixing  |            |              | ***     | ##: <b>!</b> |         | 1   | 1   |
| 37 | 14/178  | Locknut, seating              | ,          | JEC          | *****   | • • •        |         | I   | 1   |
| 38 | 14/175  | Washer, seating locknut       | 2          |              |         | ***          | •••     | 1   | 1   |
|    |         |                               |            |              |         |              |         |     |     |



### SPEEDOMETER - GROUP 24

| REF. No. | PART No.   | DESCRIPTION                                 |        |       | Q   | QUANTITY |     |  |  |  |
|----------|------------|---|--------|-------|-----|----------|-----|--|--|--|
|          | CA         | RBURETTER FIXINGS (TRIUMPH)                 |        |       |     | TIS      | T20 |  |  |  |
| 1        | E3254      | Block, insulating carb to head              | ***    | ***   | *** | ł        | 1   |  |  |  |
| 2        | E3250      | Joint washer, carb to head                  | •••    | •••   | ••• | 2        | 2   |  |  |  |
| 3        | F879       | Nut, carburetter flange                     | •••    | • • • | ••• | 2        | 2   |  |  |  |
| 4        | S25-13     | Washer, carburetter flange nuts             | •••    | •••   | *** | 2        | 2   |  |  |  |
|          |            | SPEEDOMETER - GROUP 24                      |        |       |     |          |     |  |  |  |
| 5        | 80421/16/2 | Speedometer 70 m.p.h.—NON TRIP              |        | ***   | *** | 1        | _   |  |  |  |
| 6        | 80421/36/2 | Speedometer 80 m.p.h.—NON TRIP              |        |       |     | -        | Ĭ   |  |  |  |
| 7        | 80421/17/2 | Speedometer 120 k.p.h.—NON TRIP             |        |       | *** | Ĩ        | -   |  |  |  |
| 8        | 80421/37/2 | Speedometer 140 k.p.h.—NON TRIP             | **     | ***   |     | -        | 1   |  |  |  |
| 9        | 31/4/2/1   | Fixing strap, speedometer to nacelle        | •••    | •••   |     | I        | j   |  |  |  |
| 10       | 31/1/7     | Nut, fixing strap                           |        | •••   | ••• | ţ        | j   |  |  |  |
| 11       | D286       | Cable assembly speedometer drive, 49½" long | g (533 | 395)  | ••• | 1        | 1   |  |  |  |
| 12       | D286C      | Casing, speedometer drive (53398)           | •••    | •••   | ••• | 1        | 1   |  |  |  |
| 13       | D286W      | Wire, speedometer drive (52108/1)           | •••    | •••   |     | 1        | i   |  |  |  |
| 14       | D175       | Gearbox, speedometer drive (52283/64/3)     | •••    | •••   |     | l        | 1   |  |  |  |

#### INDEX TO FIG. 14. PAGE 50.

| Illust. No. | Part No.               | 'Page No. | Ref. No. | Illust. No. | Part No.            | Page No. | Ref. No. |
|-------------|------------------------|-----------|----------|-------------|---------------------|----------|----------|
| 1           | *D315                  | 42        | 32       | 17          | 4/042 (90)          | 49       | 19       |
|             | *D316                  | 42        | 33       |             | 4/042 (100)         | 49       | 20       |
| 2           | 332/023                | 49        | 3        | 18          | 376/076 <i>°</i>    | 49       | 21       |
|             | 332 <sup>′</sup> /00 I | 49        | 4        | 19          | 333′/016            | 49       | 24       |
| 3           | 332/012                | 49        | 5        | 20          | 14/189              | 49       | 25       |
| 4           | 332/013                | 49        | 6        | 21          | 4/Ó43               | 49       | 26       |
| 5           | 332/014                | 49        | 7        | 22          | 4/053               | 49       | 27       |
| 6           | 332 <sup>′</sup> /011  | 49        | 8        | 23          | 62/214              | 49       | 29       |
| 7           | 52/068                 | 49        | 9        | 24          | 62/212              | 49       | 30       |
| 8           | 332/005                | 49        | 10       | 25          | 62′/20 <del>4</del> | 49       | 31       |
| 9           | 332 <sup>′</sup> /021  | 49        | П        | 26          | 22/016              | 49       | 32       |
| 10          | 332/018                | 49        | 12       | 27          | 22/013              | 49       | 33       |
| 11          | 332/020                | 49        | 13       | 28          | 62/207              | 49       | 34       |
| 12          | 323/017                | 49        | 14       | 29          | 352/208             | 49       | 35       |
| 13          | 4/I 48                 | 49        | 15       | 30          | 352/207             | 49       | 36       |
| 14          | 332/002                | 49        | 16       | 31          | J4/178              | 49       | 37       |
| 15          | 332′/003               | 49        | 17       | 32          | 14/1 <b>7</b> 5     | 49       | 38       |
| 16          | 332/00 <del>4</del>    | 49        | 18       | <b>33</b> L | 332/026             | 49       | 22       |
|             | 1                      |           |          | 34          | 111/162             | 49       | 23       |

\* See Page 44 for U.S.A. Throttle Cable Details

GROUP 25 - SPARKING PLUG GROUP 26 - TWINSEAT

**GROUP 27 - CHAINS** 

| REF. No. | PART No. | DESCRIPTION  | QUANTITY |       |       |     |
|----------|----------|--|----------|-------|-------|-----|
|          |          | SPARKING PLUG — GROUP 25   |          |       |       |     |
| 1.       | HN       | Plug sparking (Lodge)  |          |       | TI5   | T20 |
| -        | F80      | Plug (single point) sparking (K.I.C.)  | OFFIE.   | *.*.* |       |     |
| 2        | LIOS     | Plug (single point), sparking (K.L.G.)   | •••      | •••   | 4     | 1   |
| 4        | D297     | Plug, sparking (Champion) Cover, sparking plug   | •••      | •••   | 1     |     |
|          | 5277     | Cover, sparking plug   |          | •••   |       |     |
|          |          | TWINSEAT - GROUP 26  |          |       |       |     |
| 5        | F3946    | Twinseat c/w attachments   |          |       | 1     | 1   |
| 6        | F3863    | Tudassa salu   | •••      | •••   | i     | 1   |
| 7        | F3948    | Dunglica autinopa contro   |          |       | i     | 1   |
| 8        | F3865    | Duraliza audinaria uran  |          |       | i     | 1   |
| 9        | F879     | Mak same and used busiles as san   | •••      |       | 4     | 4   |
| 10       | E1612    | Marken knowled notes   | •••      | * * * | 4     | 4   |
| 11       | F3536    |  | •••      | • • • | 2     | 2   |
| 12       | W76      | Nice frame stud  | •••      | •••   | 2     | 2   |
| 13       | S26-1    | Machan france study nuces  | ***      | 3.20  | 2     | 2   |
| 14       | E667A    |  | •••      | ***   | 1     | 1   |
| 15       | S26-3    | VAC 1  | ***      | •••   | ÷     | 1   |
| 16       | SI-51    | Nice from breaker bale   | •••      | ***   | i     | 1   |
| 17       | F3866    | Cand was business as and arred   | ***      | • • • | 2     | 2   |
| 18       | F879     | Nick man burden as and   | •••      | ***   | 2     | 2   |
| 19       | E1612    | VAZ 1  | •••      |       | 2     | 2   |
| 20       | F3949    | Valance coil   | ***      |       | _     | 1   |
| 21       | H713     | Scrow valance to centre bracket  | •••      | •••   |       | 4   |
| 22       | E2338    | Washer valance screw   |          | ***   |       | 4   |
| 23       | H691     | Nut, valance screw   | •••      |       |       | 4   |
| 24       | DS57     | Dala sail sa san   | •••      | •••   |       | 2   |
| 25       | E1612    | Washer coil to pan   | ***      | •••   | 9-2   | 2   |
| 23       | LIGIZ    | vvasner, coll to pan   | •••      | •••   | Miles | _   |
|          |          | CHAINS - GROUP 27  |          |       |       |     |
|          |          |  |          |       |       |     |
| 26       | D276     | Chain, primary 110038, $\frac{3}{8}$ in. $\times$ $\frac{7}{32}$ in. $\times$ 62 links | •••      | ,     | 1     | -   |
| 27       | D338     | Chain, primary 110044, $\frac{1}{2}$ in. $\times$ $\frac{3}{16}$ in. $\times$ 48 links |          |       | -     | 1   |
| 28       | D277     | Chain, rear $110044$ , $\frac{1}{2}$ in. $\times \frac{3}{16}$ in. $\times 112$ links  | •••      |       | 1     | -   |
| 29       | D341     | Chain, rear 110044, $\frac{1}{2}$ in. $\times$ $\frac{3}{16}$ in. $\times$ 116 links   | •••      |       | -     | - 1 |

# **GUARANTEE**

E give the following guarantee with our motorcycles, motorcycle combinations and sidecars, including all accessories and component parts other than tyres, saddles, chains and lighting and electrical equipment, and other than accessories and component parts supplied to the order of the Purchaser and differing from those comprised in the standard specifications supplied with our motorcycles, motorcycle combinations and sidecars, but including accessories and parts supplied by way of exchange as hereinafter provided. This guarantee is given in place of any implied conditions or warranties or any liabilities whatsoever statutory or otherwise; no guarantee except that hereinafter contained and no conditions or warranty whatsoever statutory or otherwise is given or is to be implied, nor are we to be under any liability whatsoever except under the guarantee hereinafter contained. Any statement, description, condition or representation contained in any catalogue, advertisement, leaflet or other publication shall not be construed as enlarging, varying or overriding anything herein contained. In the case of machines (a) which have been used for "hiring out" purposes or (b) any motorcycle and/or sidecar used for any dirt track, cinder track or grass track racing or competitions (or any competition of any kind within an enclosure for which a charge is made for admission to take part in or view the competition) or (c) machines from which the trade mark, name or manufacturing number has been altered or removed or (d) any machines in which parts have been used not supplied by or approved by the motorcycle manufacturer or (e) any machine from which the silencing system as fitted by the manufacturer has been partially or wholly removed or interfered with, no guarantee, condition or warranty of any kind statutory or otherwise, is given or is to be implied, nor are we to be under any liability whatsoever in respect of any such machine. We guarantee, subject to the conditions mentioned below, that all precautions which are usual and reasonable have been taken by us to secure excellence of materials and workmanship but this guarantee is to extend and be in force for six months only in U.K. and ninety days overseas from date of purchase, or date of exchange in case of any accessory or part supplied by way of exchange as hereinafter provided, and damages for which we make ourselves responsible under this guarantee are limited to the free repair of or supply of a new part or accessory in exchange for the part of the motorcycle, motorcycle combination or sidecar or accessory which may have proved defective. We undertake, subject to the conditions mentioned below, to make good in manner aforesaid any part or accessory covered by this guarantee which has proved defective within the said period. We do not undertake to replace or refix or bear the cost of replacing or refixing any such new part or accessory in the motorcycle, motorcycle combination or sidecar. As motorcycles, motorcycle combinations and sidecars are easily liable to derangement by neglect or misuse, this guarantee does not apply to defects caused by wear and tear, misuse or neglect. The term "misuse" shall include, amongst others, the following acts: 1. The attaching of a sidecar to a motorcycle in such a manner as to cause damage or calculated to render the latter unsafe when ridden. 2. The use of a motorcycle or of a motorcycle and sidecar combined, when carrying more persons or a greater weight than that for which the machine was designed by the manufacturers. 3. The attaching of a sidecar to a motorcycle by any form of attachment not provided, supplied or approved by the manufacturers, or to a motorcycle which is not designed for such use. We do not guarantee tyres, saddles, chains or lighting and electrical equipment, or any accessories or component parts supplied to the order of the Purchaser differing from those comprised in the standard specifications supplied with our motorcycle combinations or sidecars. As regards all such tyres, saddles, chains, lighting and electrical equipment, accessories and component parts, no guarantee, condition or warranty of any kind statutory or otherwise is given or is to be implied, and we are to be under no liability whatsoever in respect thereof.

#### CONDITIONS OF GUARANTEE

If a defective part or accessory should be found in our motorcycles, motorcycle combinations or sidecars, or in any part or accessory supplied by way of exchange as before provided, it must be sent to us CARRIAGE PAID and accompanied by an intimation from the owner that he desires to have it repaired or exchanged free of charge under our guarantee, and he must also furnish us at the same time with the frame number of the machine, the date of purchase or the date when the alleged defective part or accessory was exchanged as the case may be. Failing compliance with the above, such articles will lie here at THE RISK OF THE OWNER, and this guarantee and any implied guarantee, warranty or condition shall not be enforceable.

#### REPAIRS

Any motorcycle, motorcycle combination or sidecar sent to us to be plated, enamelled or repaired will be repaired upon the following conditions, i.e., we guarantee that all precautions which are usual and reasonable have been taken by us to secure excellence of materials and workmanship, such guarantee to extend and be in force for three months only from the time such work shall have been executed, and this guarantee is in lieu and in exclusion of all conditions and warranties statutory or otherwise, and all liabilities whatsoever and the damages recoverable are limited to the cost of any further work which may be necessary to amend and make good the work found to be defective.

#### NOTE

We do not appoint agents for the sale on our behalf of our motorcycles or other goods, but we assign to motorcycle Dealers areas in which we supply to such Dealers exclusively for re-sale in such areas. No such Dealer is authorised to transact any business, give any warranty, make any representation or incur any liability on our behalf. Published retail prices are for delivery free of charge at Dealers' premises. All goods are offered for sale subject to the price ruling at time of delivery. We reserve the right to modify or deviate from the published specification.

#### TRIUMPH SERVICE

There are Triumph distributors and dealers in all parts of the world who carry adequate stocks of Triumph parts and who are ready at all times to help and advise owners of Triumph motorcycles.



# **INDEX**

| Constant DACK                 | c    |          |  |       |       |      |                  |                | No.      |
|-------------------------------|------|----------|--|-------|-------|------|------------------|----------------|----------|
| Group I—CARTON PACK           | S    |          | •••                                    |       | •••   | •••  | •••              | •••            | 5        |
| Group 2—ENGINE                |      | /Page    |  |       | ***   | •••  |                  |                | 7        |
| Crankcase                     |      | 1.5.5.54 | ***                                    | ***   | ***   |      | •••              |                | 9        |
| Crankcase bearings (engine    | ≘)   | •••      | ***                                    | •••   | ***   | •••  | •••              |                | 9        |
| Crankcase filter              | ***  | •••      | • •••                                  | •••   | ***   |      | •••              | •••            | 12       |
| Cylinder barrel               | ***  | ***      |  | •••   | ***   | •••  | •••              |                | 7        |
| Cylinder head                 | ***  |          | • • •                                  |       | •••   | •••  | •••              | •••            | 7        |
| Engine sprocket               | 2000 | ***      | (* * * * * * * * * * * * * * * * * * * | ***   | ***   | •••  | (* (* *))        | •••            | 13       |
| Flywheels and connecting i    | -od  | ***      |  |       | ***   |      | ***              |                | 9        |
| Gasket set                    |      | •••      | •••                                    |       | •••   | •••  | •••              |                | 13       |
| Inner cover drive side        | •••  | ***      | (*)*(*)                                | • • • |       |      | •••              |                | 12       |
| Inner cover timing side       | ***  | ***      | 7.00                                   |       | ***   | ***  | <b>&gt;</b> ₹₹2  | ***            | 13       |
| Oil pump                      | ***  | ***      | ** • • ·                               |       | ***   |      | •••              |                | 12       |
| Overhead rocker, covers, e    | etc. | ***      | •••                                    | ***   | ***   | ***  | •••              |                | 8        |
| Outer cover drive side        |      | ***      | ***                                    | ***   | ***   | ***  | ***              | ***            | 13       |
| Outer cover timing side       | ***  | ***      | •••                                    |       | ***   |      | ***              |                | 13       |
| Piston                        | ***  | ***      | •••                                    |       | ***   | •••  |                  |                | 7        |
| Push rods and cover           | ***  | ***      | •••                                    | ***   | ***   | •••  | ***              |                | 8        |
| Rocker oil pipe and fittings  |      | 243      |  | ***   | ***   | •••  | •••              |                | 8        |
| Tappets                       | ***  | ***      | •••                                    |       | •••   | •••  |                  |                | 8        |
| Timing gears and camshaft     | •••  | ***      | •••                                    | ***   | 30.00 | ***  | •••              | ***            | 12       |
| Valves, guides, springs, etc. | ***  | ***      |  | • • • | •••   |      | •••              |                | 8        |
| Group 3—GEARBOX AND           | CLU  | ТСН      |  |       | ***   | ***  |                  |                | 14       |
| Camplate                      | ***  |          |  | •••   | •••   | ***  | ***              | •••            | 14       |
| Clutch                        | ***  | ***      | (* (* 10)                              |       | ***   | ***  | ***              | ***            | 16       |
| Clutch control                |      | •••      | ***                                    |       |       | ***  |                  |                | 18       |
| Footchange mechanism          | ***  |          |  |       |       | ***  |                  | / <b>***</b> * | . 14     |
| Filler, level and drain plugs | ***  | ***      |  | ***   |       | ***  |                  |                | 16       |
| Gearbox casing bearings       |      | ***      | ***                                    |       | •••   | ***  |                  | ***            | 15       |
| Gearbox sprocket              | ***  | ***      | ***                                    |       | •••   |      | ***              | >*.*.*         | 16       |
| Kickstarter                   |      |          | ***                                    | •••   | •••   | :*** |                  | •••            | 16       |
| Selector forks and spindle    | ***  |          | ***                                    | • • • | ***   | ***  |                  |                | 14       |
| Shafts and gears              | ***  | ***      |  | ***   | ***   | ***  | •••              | ***            | 14       |
| Group 4—EXHAUST SYST          | ГЕМ  |          |  |       |       | ***  | ***              |                | 18       |
| Exhaust pipe                  |      | ***      |  |       |       | •••  | •••              |                | 18       |
| Silencer                      | •••  |          |  |       |       | ***  | ***              | •••            | 18       |
|                               |      |          |  |       |       |      |                  |                | 19       |
| Group 5—FRAME                 | 1.   | <b></b>  | ***                                    |       | ***   | ***  |                  | * * *          |          |
| Frame                         | •••  | 3        | ***                                    | *** * | ***   | ***  | ***              | •••            | 19<br>19 |
| Rear suspension               |      | •••      |  | U.C   | Cil   |      | •••              | •••            | 19       |
| Group 6—STAND                 |      | 50       | 7.6                                    |       | 111   |      | 5 <b>*.*</b> /*. | •••            | 19       |
| Centre stand/                 | 3693 | (***/    |  | D.O.  |       |      | ***              |                | 19       |
| Prop stand                    | ***  |          | 27.5                                   | J     | Kr:   |      | •••              | •••            | 19       |

|                   |          |      |       |            |       |       |       |       |       |       | No. |
|-------------------|----------|------|-------|------------|-------|-------|-------|-------|-------|-------|-----|
| Group 7-TELESC    | OPIC     | FR   | TNC   | FORK       |       | •••   |       |       |       | •••   | 24  |
| Front fork        |          |      |       |            |       |       | •••   |       |       |       | 24  |
| Steering races    | ***      |      | •••   | •••        |       | •••   |       | •••   |       | •••   | 25  |
| Licence holder    |          |      |       |            |       |       |       |       |       |       | 25  |
| Electrice Holder  | ***      | •••  | •••   | ***        | •••   | •••   | •••   |       | ***   | •••   | 23  |
| Group 8—WHEE      | LS       |      |       | •••        | •••   | •••   | •••   | •••   |       |       | 27  |
| Front wheel       |          | •••  |       |            |       |       |       | •••   | •••   | •••   | 27  |
| Front wheel bra   |          |      | •••   |            |       | •••   |       |       | ***   | •••   | 27  |
| Rear wheel        |          | •••  | •••   |            |       |       |       |       |       |       | 29  |
| Rear wheel bral   |          |      |       |            |       |       |       |       |       | •••   | 30  |
| Rear wheel chai   |          |      |       | •••        | •••   | •••   | •••   | •••   | ***   |       | 30  |
| iteal Wileel Cila | ii adjus | sce! | •••   | ***        | ***   | ***   | •••   | ***   | ***   | •••   | 30  |
| Group 9—MUDG      | UARE     | S    |       |            |       |       |       | •••   | ***   | ***   | 31  |
| Front mudguard    |          |      |       | •••        | •••   |       |       |       |       |       | 31  |
| Rear mudguard     |          | •••  | •••   | •••        | ***   |       | •••   |       |       | •••   | 31  |
|                   |          |      |       |            |       |       |       |       |       |       |     |
| Group IO-NUM      | BER F    | LAT  | ES    | ***        | ***   |       |       |       | • • • |       | 33  |
| Front number p    | late     |      |       |            |       |       |       |       |       |       | 33  |
| Rear number pl    |          |      | •••   |            | •••   |       |       | ***   | ***   |       | 33  |
|                   |          |      |       |            |       |       |       |       |       |       |     |
| Group II—REAR     | СНА      | ING  | UARI  | <b>.</b>   |       | •••   |       | •••   |       |       | 34  |
| Group 12—TOOL     | .BOX     | , BA | TTER  | Y AND      | ) All | R CLE | ANE   | R ASS | EMBL  | .Y    | 34  |
| Group 13—TOOL     | .S       | •••  | •••   |            |       |       |       |       | •••   |       | 35  |
|                   |          |      |       |            |       |       |       |       |       |       |     |
| Group 14—PETRO    | DL A     | ND   | OIL   | TANKS      |       | ***   |       |       | •••   | •••   | 37  |
| Oil tank          | •••      |      | •••   | •••        | •••   | •••   |       | •••   |       |       | 37  |
| Petrol tank       | •••      | •••  | •••   | •••        | •••   |       | ***   |       |       | •••   | 37  |
|                   | Š        |      |       |            |       |       |       |       |       |       | -   |
| Group I5—FOOT     |          | S    | •••   | •••        |       | ***   | • • • |       |       |       | 39  |
| Rider's footrest  |          |      | •••   | •••        | •••   |       | • • • |       |       | •••   | 39  |
| Pillion footrest  | •••      | ***  | •••   | •••        |       | •••   | •••   | •••   | ••••  | •••   | 39  |
| Group I6—REAR     | BRAI     | KE P | EDAI  |            | •••   | •••   | •••   | ***   |       |       | 40  |
| Group 17—HANI     | )LER/    | AR A | ND F  | FITTING    | SP    |       | ומי   |       |       |       | 40  |
| Control levers    |          |      |       |            | 7     |       |       | ***   | • • • | •••   | 40  |
| Handlebar         | ****     | ***  | ***   |            | 51.44 | 1.1   | 4.0.  |       |       | •••   | 40  |
|                   |          | •••  | ***   |            |       | U.U   | D.L   |       | • • • | •••   | 42  |
| Twistgrip         | •••      | •••  | • • • | D   //   D | 100   | 111   | T     | ***   | •••   | • • • | 42  |

|                                 |           |      |           |                |        |                   |                 |             |   |                | rage            |
|---------------------------------|-----------|------|-----------|----------------|--------|-------------------|-----------------|-------------|---|----------------|-----------------|
| Group I8—CONT                   | -DOI      | CAR  | LEC       |                |        |                   |                 |             |   |                | No.<br>42       |
|                                 | KOL       |      |           | •••            | ***    | ***               |                 | ***         | •••   | ***            | 43              |
| Front brake cab                 | (4)(2)(2) | •••  | •••       | •••            | ***    | •••               | •••             | •••         | •••   | •••            | 42              |
| Gear indicator of               |           |      |           |                | ***    |                   | ***             |             | •••   | •••            | 43              |
| <b>-</b>                        |           | •••• |           | ***            | ·* *** | ***               | 2.5.5.15        | ***         | 2.11  | ***            | 42              |
| Till Ottle Cable                | •••       | ***  | •••       | ***            |        | 1 <b>**</b> **    | ***             | •••         | ***   | ***            | 72              |
| Group 19-HAND                   | DLEB/     | AR A | ND        | FITTIN         | NGS (  | U.S.A             | . ONI           | <b>-Y</b> ) | ***   | 20.67          | 43              |
| Control levers                  |           |      |           | ***            | ***    | ***               | ***             | ***         | ***   | ***            | 43              |
| Handlebar                       |           |      |           |                | ***    |                   |                 | • • •       | ***   | ***            | 43              |
| Twistgrip                       |           |      |           | ***            |        | • • • •           | (*.e.)          | ***         | •••   | ***            | 44              |
|                                 |           |      |           |                |        |                   |                 |             |   |                |                 |
| Group 20—CONT                   |           | CAB  | LES       | (U.S.A         | . ON   | LY)               | ***             | ***         | ***   | ***            | 44              |
|                                 | ***       | ***  | ***       | •••            | •••    | ***               | ***             | •••         | •••   |                | 44              |
| Front brake cab                 |           | •••  |           | •••            | •••    | ***               | •••             | ***         | ***   | •••            | 44              |
| Throttle cable                  | •••       |      | ***       | ***            | ***    | ***               | ***             |             | ***   | •••            | 44              |
| Group 21—NACE                   | LLE (     |      |           | DICAT<br>IETAR |        | <br>TTIN          |                 |             | ***   | •••            | 45              |
| Group 22—LUCAS                  |           | CTRI | CAL       | EQU            |        |                   | 3 <b>**</b> .*3 |             | •••   | ***            | 47              |
| Group 23—AMAL Carburetter       |           | ROK  | E       E |                | ***    | • • •             | ***             | ***         | •••   | ***            | 49              |
|                                 |           |      |           | •••            | ***    | ***               | ***             | •••         | •••   | •••            | 49<br>51        |
| Carburetter fixi                |           |      | -         |                | ***    |                   | ***             |             | ***   |                | 51<br><b>49</b> |
| Mixing chamber<br>Float chamber | •••       | •••  | ***       | ***            | ***    | •••               | ***             | •••         | ***   | •••            |                 |
| rioat chamber                   | ***       | ***  | •••       |                | ***    | ***               | ***             | ***         | ***   |                | 49              |
| Group 24—SPEED                  | OME       | TER  | •••       | •              | ***    | ***               | ***             | ***         | ***   | ***            | 51              |
| Group 25—SPARK                  | ING       | PLU  | G         | ***            | •••    | ***               | •••             | ***         | ***   | <b>4</b> (4/4) | 52              |
| Group 26—TWINS                  | SEAT      |      | No.       |                | ***    | <b>●</b> ()•()•() |                 | 1909        | \$2.500<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1.000<br>\$1 | \$1850         | 52              |
| Group 27_CHAIN                  | J GP      |      |           |                |        |                   |                 |             |   |                | 52              |



|      |            | INDE)               | X TC      | ) ILL     | .US     | ΓRΑ  | TIC | NS  |     |     | Page<br>No. |
|------|------------|---------------------|-----------|-----------|---------|------|-----|-----|-----|-----|-------------|
| Fig. | 1.         | Engine and gearbox  | k unit    | •••       | •••     | •••  |     | ••• | ••• |     | 10          |
| ••   | 2.         | Mainshaft and laysh | aft gears | •••       | •••     |      | ••• | ••• | ••• |     | 15          |
| ,,   | 3.         | Clutch and shock a  | bsorber   | unit      | •••     | •••  | ••• | *** | *** |     | 17          |
| ,,   | 4.         | Frame and compon    | ents      |           |         | •••  |     |     | ••• |     | 20          |
| ,,   | <b>5</b> . | Rear suspension .   |           | •••       | •••     | •••  | *** | *** | *** |     | 21          |
| ,,   | 6.         | Telescopic front fo | rk        | ***       | •••     | •••  |     | ••• | ••• |     | 22          |
| ,,   | <b>7</b> . | Front wheel .       |           | •••       | •••     | •••  | ••• | *** |     | ••• | 26          |
| ,,   | 8.         | Rear wheel          |           |           | •••     | •••  | ••• |     |     | ••• | 28          |
| ,,   | 9.         | Mudguard, number    | plates a  | nd rear   | chaingu | ıard | ••• |     | ••• |     | 32          |
| ,,   | 10.        | Toolbox, battery o  | arrier an | d air cle | aner    | •••  |     | ••• | ••• | ••• | 35          |
| ,,   | 11.        | Tools               |           |           | •••     | ***  |     | ••• |     |     | 36          |
| ,,   | 12.        | Petrol and oil tank | s         |           |         | •••  |     |     |     | ••• | 38          |
| ,,   | 13.        | Handlebar and cor   | nponents  |           |         | •••  |     |     | ••• | ••• | 41          |
| ,,   | 14.        | Amal carburetter    |           |           | •••     | •••  |     | *** |     | *** | 50          |

To assist the owner and dealer in identifying requirements, this book contains numerous exploded views of the major assemblies. Each component part on the illustration is numbered, and by cross reference to the appropriate index, the part number of the component will be found. Against each part number a page and reference number is shown and by referring to the appropriate page, the full description of the part will be found against the reference number.

#### **EXAMPLE.**

To find the part number of the cylinder head gasket:

- 1. Refer to the illustration index above, where it will be found that the engine is illustrated on page 10.
- 2. Note that the number of the gasket in the illustration is 9.
- 3. Refer to the index on page 1/1.
- 4. Note that illustration number 9 is part number E3217 listed on page 7, line 26.



Tournez s'il vous plait. Véase al dorso. Bitte wenden.